## **Accepted Manuscript**

Lip closure training improves eating behaviors and prefrontal cortical hemodynamic activity and decreases daytime sleep in elderly persons

Kouich Takamoto, Tsuyoshi Saitoh, Toru Taguchi, Hiroshi Nishimaru, Susumu Urakawa, Shigekazu Sakai, Taketoshi Ono, Hisao Nishijo

PII: \$1360-8592(17)30226-7

DOI: 10.1016/j.jbmt.2017.09.002

Reference: YJBMT 1589

To appear in: Journal of Bodywork & Movement Therapies

Received Date: 24 March 2017
Revised Date: 24 August 2017
Accepted Date: 1 September 2017

Please cite this article as: Takamoto, K., Saitoh, T., Taguchi, T., Nishimaru, H., Urakawa, S., Sakai, S., Ono, T., Nishijo, H., Lip closure training improves eating behaviors and prefrontal cortical hemodynamic activity and decreases daytime sleep in elderly persons, *Journal of Bodywork & Movement Therapies* (2017), doi: 10.1016/j.jbmt.2017.09.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



CCEPTED MANUSCRIP

Lip closure training improves eating behaviors and prefrontal cortical

hemodynamic activity and decreases daytime sleep in elderly persons

Kouich Takamoto, PhD<sup>1a</sup>, Tsuyoshi Saitoh, MS<sup>2a</sup>, Toru Taguchi, PhD<sup>1#</sup>, Hiroshi Nishimaru,

MD, PhD<sup>2</sup>, Susumu Urakawa, PhD<sup>1\*</sup>, Shigekazu Sakai, PhD<sup>1</sup>, Taketoshi Ono, MD, PhD<sup>1</sup>,

Hisao Nishijo, MD, PhD<sup>2</sup>

<sup>1</sup>Department of Judo Neurophysiotherapy and <sup>2</sup>System Emotional Science, Graduate School

of Medicine and Pharmaceutical Sciences, University of Toyama, Sugitani 2630, Toyama

930-0194, Japan

\*Present address: Department of Musculoskeletal Functional Research and Regeneration,

Graduate School of Biomedical and Health Sciences, Hiroshima University, 1-2-3, Kasumi,

Minami-ku, Hiroshima 734-8553, Japan

#Present address: Department of Physical Therapy, Niigata University of Health and Welfare,

1398 Shimami-cho, Kita-ku, Niigata-shi, Niigata, 950-3198, Japan

<sup>a</sup> These authors contributed equally.

Correspondence to: Dr. Hisao Nishijo

System Emotional Science

Graduate school of Medicine and Pharmaceutical Sciences

University of Toyama,

Sugitani 2630, Toyama 930-0194, Japan

E-mail: nishijo@med.u-toyama.ac.jp

Tel: +81-76-434-7215; Fax: +81-76-434-5012

1

## Download English Version:

## https://daneshyari.com/en/article/8559078

Download Persian Version:

https://daneshyari.com/article/8559078

<u>Daneshyari.com</u>