Accepted Manuscript

Considerations for treatment-free remission in patients with chronic myeloid leukemia: a joint patient-physician perspective

Giuseppe Saglio, Giora Sharf, Antonio Almeida, Andrija Bogdanovic, Felice Bombaci, Jelena Čugurović, Nigel Deekes, Valentín Garcia-Gutiérrez, Jan de Jong, Šarūnas Narbutas, Peter Westerweel, Daniela Zackova

PII: S2152-2650(18)30385-9

DOI: 10.1016/j.clml.2018.04.005

Reference: CLML 1098

To appear in: Clinical Lymphoma, Myeloma and Leukemia

Received Date: 18 April 2018

Accepted Date: 19 April 2018

Please cite this article as: Saglio G, Sharf G, Almeida A, Bogdanovic A, Bombaci F, Čugurović J, Deekes N, Garcia-Gutiérrez V, de Jong J, Narbutas Š, Westerweel P, Zackova D, Considerations for treatment-free remission in patients with chronic myeloid leukemia: a joint patient-physician perspective, *Clinical Lymphoma, Myeloma and Leukemia* (2018), doi: 10.1016/j.clml.2018.04.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title: Considerations for treatment-free remission in patients with chronic myeloid leukemia: a joint patient-physician perspective.

Names of authors: Giuseppe Saglio,¹ Giora Sharf,² Antonio Almeida,³ Andrija Bogdanovic,⁴ Felice Bombaci,⁵ Jelena Čugurović,⁶ Nigel Deekes,⁷ Valentín Garcia-Gutiérrez,⁸ Jan de Jong,⁹ Šarūnas Narbutas,¹⁰ Peter Westerweel,¹¹ and Daniela Zackova¹²

Authors' affiliations:

¹Department of Clinical & Biological Sciences, University of Turin, Turin, Italy; ²CML Advocates Network, Netanya, Israel;

³Hospital da Luz, Lisbon, Portugal;

⁴Clinical Centre of Serbia, University of Belgrade, School of Medicine, Belgrade, Serbia; ⁵Gruppo AIL Pazienti Leucemia Mieloide Cronica, Rome, Italy;

⁶CML Association of Serbia, Belgrade, Serbia;

⁷CML UK, Birmingham, UK;

⁸Hospital Universitario Ramón y Cajal, Ramón y Cajal Health Research Institute, Madrid, Spain;

⁹Hematon Foundation, Utrecht, The Netherlands;

¹⁰POLA, Lithuanian Cancer Patient Coalition, Kaunas, Lithuania;

¹¹Albert Schweitzer Hospital, Dordrecht, The Netherlands;

¹²Department of Internal Medicine, Hematology and Oncology, University Hospital Brno, Brno, Czech Republic

Running head: Joint patient-physician perspectives on TFR in CML

Contact information for correspondence: Giuseppe Saglio gsaglio@unito.it

Word count:

Abstract: 198 words Main text: 2,256 words

Acknowledgements

The authors would like to thank Cello Health iScience for editorial assistance.

Download English Version:

https://daneshyari.com/en/article/8615326

Download Persian Version:

https://daneshyari.com/article/8615326

Daneshyari.com