

## Accepted Manuscript

Stearidonic Acid Combined with Alpha-Linolenic Acid Improves Lipemic and Neurological Markers in a Rat Model Subject to a Hypercaloric Diet

Carlos Cardoso , Joana Paiva Martinho , Paula A. Lopes ,  
Susana Martins , Jorge Correia , Cláudia Afonso ,  
Francisco J. Alarcón , María J. González-Fernández ,  
Rui M. Pinto , José A. Prates , Narcisa M. Bandarra ,  
José L. Guil-Guerrero



PII: S0952-3278(17)30298-3  
DOI: [10.1016/j.plefa.2018.07.010](https://doi.org/10.1016/j.plefa.2018.07.010)  
Reference: YPLEF 1943

To appear in: *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*

Received date: 6 December 2017  
Revised date: 18 May 2018  
Accepted date: 16 July 2018

Please cite this article as: Carlos Cardoso , Joana Paiva Martinho , Paula A. Lopes , Susana Martins , Jorge Correia , Cláudia Afonso , Francisco J. Alarcón , María J. González-Fernández , Rui M. Pinto , José A. Prates , Narcisa M. Bandarra , José L. Guil-Guerrero , Stearidonic Acid Combined with Alpha-Linolenic Acid Improves Lipemic and Neurological Markers in a Rat Model Subject to a Hypercaloric Diet, *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)* (2018), doi: [10.1016/j.plefa.2018.07.010](https://doi.org/10.1016/j.plefa.2018.07.010)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Stearidonic Acid Combined with Alpha-Linolenic Acid Improves Lipemic and Neurological Markers in a Rat Model Subject to a Hypercaloric Diet

Cardoso, Carlos<sup>ab\*</sup>, Paiva Martinho, Joana<sup>c</sup>, Lopes, Paula A.<sup>c</sup>, Martins, Susana<sup>c</sup>, Correia, Jorge<sup>c</sup>, Afonso, Cláudia<sup>ab\*</sup>, Alarcón, Francisco J.<sup>d</sup>, González-Fernández, María J.<sup>d</sup>, Pinto, Rui M.<sup>e</sup>, Prates, José A.<sup>c</sup>, Bandarra, Narcisa M.<sup>ab</sup>, Guil-Guerrero, José L.<sup>d</sup>

<sup>a</sup> Division of Aquaculture and Upgrading (DivAV), Portuguese Institute for the Sea and Atmosphere (IPMA, IP), Rua Alfredo Magalhães Ramalho, 6, 1495-006 Lisbon, Portugal; <sup>b</sup> CIIMAR, Interdisciplinary Centre of Marine and Environmental Research, University of Porto, Rua dos Bragas 289, 4050-123 Porto, Portugal; <sup>c</sup> CIISA, Faculdade de Medicina Veterinária, Universidade de Lisboa, Avenida da Universidade Técnica, 1300-477 Lisboa, Portugal; <sup>d</sup> Food Technology Division, University of Almería, Crta, Sacramento s/n, 04120 Almería, Spain; <sup>e</sup> iMed.UL, Faculdade de Farmácia, Universidade de Lisboa, Avenida Professor Gama Pinto, 1649-003 Lisboa, Portugal

\* Corresponding authors: Carlos Cardoso, PhD, phone number: (+351) 213027062, e-mail address: carlos\_l\_cardoso@hotmail.com; Cláudia Afonso, PhD, phone number: (+351) 213027000, e-mail address: [cafonso@ipma.pt](mailto:cafonso@ipma.pt)

### Acknowledgment

This work was supported by the following Post Doctoral Grants: Ref.: SFRH/BPD/102689/2014 (“Fundação para a Ciência e a Tecnologia”, FCT) for CC; Ref.: SFRH/BPD/64951/2009 (FCT) and DIVERSIAQUA (MAR2020) for CA. PAL is a researcher from Incentivo 2014 project (AGR/UI0276/2014). The authors acknowledge Clínica Médica e Diagnóstico Dr Joaquim Chaves (Algés, Portugal) for the technical assistance regarding the determination of plasma lipids.

Download English Version:

<https://daneshyari.com/en/article/8624562>

Download Persian Version:

<https://daneshyari.com/article/8624562>

[Daneshyari.com](https://daneshyari.com)