
Accepted Manuscript

Diastolic blood pressure is a potentially modifiable risk factor for preeclampsia in women with pre-existing diabetes

Sidse Kjærhus Nørgaard, Marianne Jenlev Vestgaard, Isabella Lindegaard Jørgensen, Björg Ásbjörnsdóttir, Lene Ringholm, Harold David McIntyre, Peter Damm, Elisabeth Reinhardt Mathiesen

PII: DOI: Reference:	S0168-8227(17)31220-2 https://doi.org/10.1016/j.diabres.2018.02.014 DIAB 7227
To appear in:	Diabetes Research and Clinical Practice
Received Date: Revised Date: Accepted Date:	3 August 20179 January 20186 February 2018



Please cite this article as: S. Kjærhus Nørgaard, M. Jenlev Vestgaard, I. Lindegaard Jørgensen, B. Ásbjörnsdóttir, L. Ringholm, H. David McIntyre, P. Damm, E. Reinhardt Mathiesen, Diastolic blood pressure is a potentially modifiable risk factor for preeclampsia in women with pre-existing diabetes, *Diabetes Research and Clinical Practice* (2018), doi: https://doi.org/10.1016/j.diabres.2018.02.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Diastolic blood pressure is a potentially modifiable risk factor for preeclampsia in women with preexisting diabetes

Authors: Sidse Kjærhus Nørgaard, BSc^{a,b}, Marianne Jenlev Vestgaard, MD^{a,b,c}, Isabella Lindegaard Jørgensen, BSc^{a,d}, Björg Ásbjörnsdóttir, MD^{a,b,c}, Lene Ringholm, MD, PhD^e, Harold David McIntyre, MD^{a,f}, Peter Damm, MD, DMSc^{a,c,d}, Elisabeth Reinhardt Mathiesen, MD, DMSc^{a,b,c}

^aCenter for Pregnant Women with Diabetes, Rigshospitalet, Copenhagen, Denmark
^bDepartment of Endocrinology, Rigshospitalet, Copenhagen, Denmark
^cFaculty of Health and Medical Sciences, University of Copenhagen, Copenhagen, Denmark
^dDepartment of Obstetrics, Rigshospitalet, Copenhagen, Denmark
^eSteno Diabetes Center Copenhagen, Gentofte, Denmark
^fMater Clinical School and Mater Research, The University of Queensland, Brisbane, Australia

Corresponding author: Sidse Kjærhus Nørgaard, Center for Pregnant Women with Diabetes, Department of Endocrinology, Rigshospitalet, Blegdamsvej 9, 2100 Copenhagen O, Denmark. Telephone: +45 28 86 72 04, Fax number: +45 35 45 22 10. E-mail: <u>sidse.kjaerhus.noergaard.01@regionh.dk</u> Permanent address: Hillerødgade 55, 2nd left, 2200 Copenhagen N

Abstract: 250 words

Main text: 3,895 words

Tables: Four

Download English Version:

https://daneshyari.com/en/article/8630063

Download Persian Version:

https://daneshyari.com/article/8630063

Daneshyari.com