

Accepted Manuscript

A national survey on the efficacy and safety of continuous subcutaneous insulin infusion in patients with type 1 diabetes in Spain

P. Beato-Víbor, Ana Chico-Ballesteros, Marga Giménez, Raquel Guerrero-Vázquez, Raquel Barrio-Castellanos, María José Goñi-Iriarte, Gonzalo Díaz-Soto, Juan Francisco Merino-Torres, Jesús Moreno-Fernández, María Asunción Martínez-Brocca, for the Diabetes Technology Working Group of the Spanish Diabetes Association,

PII: S0168-8227(17)31425-0
DOI: <https://doi.org/10.1016/j.diabres.2017.12.009>
Reference: DIAB 7165

To appear in: *Diabetes Research and Clinical Practice*

Received Date: 2 September 2017
Revised Date: 29 November 2017
Accepted Date: 12 December 2017

Please cite this article as: P. Beato-Víbor, A. Chico-Ballesteros, M. Giménez, R. Guerrero-Vázquez, R. Barrio-Castellanos, M. José Goñi-Iriarte, G. Díaz-Soto, J.F. Merino-Torres, J. Moreno-Fernández, M.A. Martínez-Brocca, for the Diabetes Technology Working Group of the Spanish Diabetes Association, A national survey on the efficacy and safety of continuous subcutaneous insulin infusion in patients with type 1 diabetes in Spain, *Diabetes Research and Clinical Practice* (2017), doi: <https://doi.org/10.1016/j.diabres.2017.12.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A national survey on the efficacy and safety of continuous subcutaneous insulin infusion in patients with type 1 diabetes in Spain

Running head: Continuous subcutaneous insulin infusion in Spain

P. Beato-Víbora^{1*}, Ana Chico-Ballesteros^{2*}, Marga Giménez³, Raquel Guerrero-Vázquez⁴, Raquel Barrio-Castellanos⁵, María José Goñi-Iriarte⁶, Gonzalo Díaz-Soto⁷, Juan Francisco Merino-Torres⁸, Jesús Moreno-Fernández⁹, María Asunción Martínez-Brocca¹⁰, for the Diabetes Technology Working Group of the Spanish Diabetes Association.

* Co-First Authors

¹ Complejo Hospitalario Universitario de Badajoz, Badajoz

² Hospital Santa Creu i Sant Pau, Barcelona

³ Hospital Clínic i Universitari, Barcelona

⁴ Hospital Universitario Virgen del Rocío, Sevilla

⁵ Hospital Universitario Ramón y Cajal, Madrid

⁶ Hospital de Navarra, Pamplona

⁷ Hospital Clínico Universitario de Valladolid, Valladolid

⁸ Hospital Universitario La Fe, Valencia

⁹ Hospital General Universitario de Ciudad Real, Ciudad Real

¹⁰ Hospital Universitario Virgen del Rocío, Sevilla

Corresponding author: P. Beato-Víbora. Complejo Hospitalario, Badajoz. Avda.

Elvas s/n. 06080 Badajoz. Phone number: +34659267272. E-mail address:

pilar.beato@salud-juntaex.es

Keywords: type 1 diabetes; continuous subcutaneous insulin infusion; HbA1c

Download English Version:

<https://daneshyari.com/en/article/8630169>

Download Persian Version:

<https://daneshyari.com/article/8630169>

[Daneshyari.com](https://daneshyari.com)