

Accepted Manuscript

Research paper

Strain differences in intermale aggression and possible factors regulating increased aggression in Japanese quail

Fumihiko Maekawa, Koki Nagino, Jiaxin Yang, Nang T.T. Htike, Shinji Tsukahara, Takayoshi Ubuka, Kazuyoshi Tsutsui, Takaharu Kawashima


PII: S0016-6480(17)30303-9
DOI: <http://dx.doi.org/10.1016/j.ygcen.2017.07.025>
Reference: YGCEN 12709

To appear in: *General and Comparative Endocrinology*

Received Date: 25 April 2017
Revised Date: 21 June 2017
Accepted Date: 25 July 2017

Please cite this article as: Maekawa, F., Nagino, K., Yang, J., Htike, N.T.T., Tsukahara, S., Ubuka, T., Tsutsui, K., Kawashima, T., Strain differences in intermale aggression and possible factors regulating increased aggression in Japanese quail, *General and Comparative Endocrinology* (2017), doi: <http://dx.doi.org/10.1016/j.ygcen.2017.07.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Strain differences in intermale aggression and possible factors regulating increased aggression in Japanese quail

Fumihiko Maekawa^{1,2*#}, Koki Nagino^{1,3*}, Jiaxin Yang¹, Nang T. T. Htike², Shinji Tsukahara^{1,2}, Takayoshi Ubuka^{3,4}, Kazuyoshi Tsutsui³, Takaharu Kawashima^{1#}

¹ National Institute for Environmental Studies, Tsukuba, Japan

² Division of Life Science, Graduate School of Science and Engineering, Saitama University, Saitama, Japan

³ Laboratory of Integrative Brain Sciences, Department of Biology and Center for Medical Life Science, Waseda University, Tokyo, Japan

⁴ Jeffrey Cheah School of Medicine and Health Sciences, Brain Research Institute Monash Sunway, Monash University Malaysia, Bandar Sunway, Malaysia

* These authors contributed equally to this work

Corresponding authors

National Institute for Environmental Studies, Tsukuba, Japan

E-mail address: fmaekawa@nies.go.jp (F. Maekawa), kawataka@nies.go.jp (T. Kawashima)

Running title: Aggressive behavior in Japanese quail

Keywords: aggression, hypothalamus, Japanese quail, mesotocin, neuropeptide, testosterone

Download English Version:

<https://daneshyari.com/en/article/8631396>

Download Persian Version:

<https://daneshyari.com/article/8631396>

[Daneshyari.com](https://daneshyari.com)