

Accepted Manuscript

Percutaneous Left Atrial Appendage Closure is *Not* Ready for Routine Clinical Use

John Mandrola, M.D, Andrew Foy, M.D, Gerald Naccarelli, M.D.



PII: S1547-5271(17)31200-6

DOI: [10.1016/j.hrthm.2017.10.007](https://doi.org/10.1016/j.hrthm.2017.10.007)

Reference: HRTM 7340

To appear in: *Heart Rhythm*

Received Date: 24 February 2017

Please cite this article as: Mandrola J, Foy A, Naccarelli G, Percutaneous Left Atrial Appendage Closure is *Not* Ready for Routine Clinical Use, *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.10.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Percutaneous Left Atrial Appendage Closure is *Not* Ready for Routine Clinical Use**

2

3 John Mandrola, M.D.

4 Baptist Health Louisville

5 Andrew Foy, M.D. Gerald Naccarelli, M.D.

6 Penn State University College of Medicine, Hershey, PA

7

8 *Correspondence*

9 John Mandrola; Baptist Health Louisville, 3900 Kresge Way, 40207

10 (e) john.mandrola@gmail.com

11 (f) 502-893-1391

12 (p) 502-893-7710

13

14 Conflict of Interest: Mandrola, Foy: none. Naccarelli: consultant/Advisory

15 Board: Janssen, Daiichi Sankyo, GlaxoSmithKline, Astra Zeneca; Research support

16 Janssen

17

18 Word count: 2487

19

20 Keywords: atrial fibrillation, left atrial appendage, stroke, Watchman, left atrial

21 appendage occlusion,

22

23

Download English Version:

<https://daneshyari.com/en/article/8660328>

Download Persian Version:

<https://daneshyari.com/article/8660328>

[Daneshyari.com](https://daneshyari.com)