


Available online at www.sciencedirect.com

ScienceDirect

journal homepage: <http://www.journals.elsevier.com/annals-of-agrarian-science>

Intensification of bioproductivity of agricultural cultures by adding natural zeolites and brown coals into soils

L. Eprikashvili*, M. Zautashvili, T. Kordzakhia, N. Pirtskhalava, M. Dzagania, I. Rubashvili, V. Tsitsishvili

I.Javakhishvili Tbilisi State University, Petre Melikishvili Institute of Physical and Organic Chemistry, 31 Politkovskaya str., Tbilisi, 0186, Georgia

ARTICLE INFO

Article history:

Received 26 January 2016

Accepted 3 May 2016

Available online 24 May 2016

Keywords:

Agronomical ores

Fertilizers

Crops

Zeolite

Barley

ABSTRACT

On the basis of relevant research works, the paper discusses positive effect of the utilization of non-traditional natural resources, the so-called agronomical ores, i.e. mineral fertilizers, in order to increase the productivity of crops and improve the physical and chemical properties of the soil. The effectiveness of such fertilizers is their complex positive influence on the properties and modes of the soil and, in general, on a system "soil-plant". The paper shows the prospects of the use of zeolite-based substrates, brown coal and soil on the growth of test crops - barley. The conclusions reached in this study should be considered encouraging with regard to solving the problem in question.

© 2016 Agricultural University of Georgia. Production and hosting by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction

Modern agriculture focuses on such important and vital problems as necessity to increase the productivity of all agricultural species without increasing application of mineral fertilizers to the soil, to increase soil fertility and obtaining environmentally safe agricultural production.

Worldwide agricultural practices demonstrate that among the many agronomical factors, fertilizers are of supreme importance in increasing the crop yield and soil fertility. It is impossible to achieve consistently high yields of the required quality without the use of fertilizers, without introducing nutrients, – the basic element for growth and improvement, –

in a balanced and strictly prescribed order during the entire vegetation period [1].

Balanced nutrients for plants with macro- and microelements regulate numerous processes of their metabolism and play a key role in formation of the yield and its quality.

At the same time, in recent years the content of mobile forms of macro- and microelements in the soil available to plants declined significantly, as a result of a sharp decrease in the amount of fertilizers applied in all regions of the country; their total content in the soil was also somewhat reduced, the areas of arable and unsown lands with low content of mobile forms of macro- and microelements significantly increased, chemical composition and nutritional value of crop production decreased. The low level of application of chemicals in

* Corresponding author. Tel.: +995 599 565 612.

E-mail address: leprikashvili@hotmail.com (L. Eprikashvili).

Peer review under responsibility of Journal Annals of Agrarian Science.

<http://dx.doi.org/10.1016/j.aasci.2016.05.004>

1512-1887/© 2016 Agricultural University of Georgia. Production and hosting by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

agriculture adversely affects not only the plant yield. Reduced humus content and soil acidification significantly activates the processes of mobilization of soil toxicants, their penetration into plants, which ultimately negatively affects the yield and quality of products [2].

As the experience of developed countries shows there is no alternative to fertilizers in enhancement of the yield of agricultural cultures and soil fertility. Fertilizers have multifaceted direct and indirect effects on soil and plants, they feed the plants as well as mobilize soil nutrients, increase the intensity of chemical and microbiological processes in the soil and change the properties of the soil [3,4].

Extensive studies of agronomical ores are conducted in our country [5]. Stratigraphic location of productive layers of agronomical ores raw is established and possibility of their utilization in agriculture is determined. It is established that there is a plenty of agronomical ores on the territory of Georgia and favorable conditions exist in order to produce local mineral and organic fertilizers, enlarge and develop a basis for their raw materials [6,7]. Among them the most widespread are deposits of limestone, dolomite, marl, chalk, peat, brown coal, gypsum, and also natural zeolites that are of particular interest for their usefulness in agriculture.

The works of past years demonstrated that adding natural zeolites of sedimentary origin into soil is widely practiced for the purpose of growing different agricultural cultures and enhancing their productivity [8–11].

Usually, natural zeolites are used in plant growing processes either in natural form or in combinations with mineral or organic fertilizers.

Natural zeolites are natural mineral fertilizers that facilitate significant (up to 50%) increase in the yield of agricultural crops. They should be used in both open grounds and greenhouses.

The researchers who accumulated accumulated experience in applying natural zeolites in agriculture revealed their following qualities [8,12]:

- Zeolite keeps humidity in the soil, retains it for a long time and supplies plants with it gradually and continuously;
- The use of natural zeolite halts fertilizers washing out of the soil, restores and increases capability of the soil to improve, metabolism of plants;
- Zeolite prevents diseases of plant roots. It is a source of microelements and heat regulator of the soil.
- The presence of zeolites in the soil reduces content of nitrates in fruits by 7–38%, increases yield of vegetables by 50–70% in average, increases content of sugars and vitamin C in fruits;
- By improving the soil structure zeolites accumulate and regulate soil nutrients. Accumulation and regulation of nutrients is especially important for those ions that are easily washed out - NO_3^- and NH_4^+ , or rapidly transform themselves into inaccessible to plants forms: phosphorus, iron, zinc, manganese, etc. Thus, the presence of zeolite reduces the nitrogen leaching out of soil 4–5 times. As a result, it enables plants to utilize efficiently the nutrients and fertilizers present in the soil;
- Zeolite reduces absorption of toxic substances and radionuclides by plants from the soil by sorbing radionuclides

and heavy metals presented in the soil and transferring their mobile forms in a bound state. They are not washed out of the soil and not absorbed by the plants;

- Zeolites promote reducing nitrification of nitrogen in the soil and decrease the nitrate content in the crop significantly;
- The use of zeolite-containing substrates in greenhouses increases yield of vegetables up to 60%, raises the vitamin content up to 70%, reduces the amount of nitrates by 60%. Zeolite substrates are especially effective in modern systems of drip irrigation.

The present study aimed to develop an efficient substrate not containing soil, because of worldwide trend towards the creation of substrates for cultivation of agricultural plants with minimum utilization of soil (transition from plant growing to plant production). For the cultivation of various agricultural cultures greenhouse soils (substrates) are widely used consisting of various components, the number of which, for the most part, does not exceed four components.

Substrates, in their turn, are divided into two groups: substrates containing the soil and substrates that do not contain the soil. At present the latter are preferable [9].

In the present study, brown coal from the Akhaltsikhe (Georgia) deposits was used as a substitute for soil. The given coal belongs to the humus-sapropelite group and to the class of lean brown coal [13]. They are not used in practice but they contain a large amount of organic components in the form of humic substances. An attempt was made to use them in combination with natural zeolites assuming that the presence of these minerals in the substrate would contribute to transferring organic substances contained in the brown coal into the matter absorbable by plants [14].

Objectives and methods

Natural zeolites of the sedimentary origin (clinoptilolite), soil, and brown coal served as the raw materials for preparation of the substrate.

Natural zeolite – clinoptilolite tuff from Tedzami deposits, Khandaki site (Georgia). The content of the main mineral in this rock varies within the ranges of 70–80%; calcium prevails in the cation content (Table 1) [15].

Clinoptilolite (Cl) belongs to the group of heulandite zeolites [15]. Minerals of this group are the most widespread

Table 1 – Characterization of zeolite.

IUPAC crystal chemical formula	$[\text{Ca}_4(\text{H}_2\text{O})_{24}[\text{Al}_8\text{Si}_{28}\text{O}_{72}]\text{-HEU}]$
Crystal chemical data	monoclinic, <i>Cm</i> a = 17.718 Å, b = 17.897 Å, c = 7.428 Å, $\beta = 116.42^\circ$
Framework density	17.1 T/1000 Å ³
Channels along axis	[001] 10-ring 3.1 Å × 7.5 Å + 8-ring 3.6 Å × 4.6 Å [100] 8-ring 2.8 Å × 4.7 Å Variable due to considerable flexibility of framework

Download English Version:

<https://daneshyari.com/en/article/866133>

Download Persian Version:

<https://daneshyari.com/article/866133>

[Daneshyari.com](https://daneshyari.com)