

Accepted Manuscript

Vascular inflammation and metabolic activity in hematopoietic organs and liver in familial combined hyperlipidemia and heterozygous familial hypercholesterolemia

Konstantinos Toutouzas, MD, John Skoumas, MD, Iosif Koutagiar, MD, Georgios Benetos, MD, Nikoletta Pianou, PhD, Alexandros Georgakopoulos, MD, Spyros Galanakis, MD, Alexios Antonopoulos, MD, Maria Drakopoulou, Evangelos K. Oikonomou, MD, Pavlos Kafouris, PhD, Emmanouil Athanasiadis, PhD, Marinos Metaxas, PhD, George Spyrou, PhD, Zoi Pallantza, MD, Nikolaos Galiatsatos, MD, Constantina Aggeli, MD, Charalampos Antoniades, MD, Georgia Keramida, MD, Adrien M. Peters, MD, Constantinos D. Anagnostopoulos, MD, Dimitris Tousoulis, MD



PII: S1933-2874(17)30487-7

DOI: [10.1016/j.jacl.2017.10.019](https://doi.org/10.1016/j.jacl.2017.10.019)

Reference: JACL 1205

To appear in: *Journal of Clinical Lipidology*

Received Date: 19 March 2017

Revised Date: 21 September 2017

Accepted Date: 21 October 2017

Please cite this article as: Toutouzas K, Skoumas J, Koutagiar I, Benetos G, Pianou N, Georgakopoulos A, Galanakis S, Antonopoulos A, Drakopoulou M, Oikonomou EK, Kafouris P, Athanasiadis E, Metaxas M, Spyrou G, Pallantza Z, Galiatsatos N, Aggeli C, Antoniades C, Keramida G, Peters AM, Anagnostopoulos CD, Tousoulis D, Vascular inflammation and metabolic activity in hematopoietic organs and liver in familial combined hyperlipidemia and heterozygous familial hypercholesterolemia, *Journal of Clinical Lipidology* (2017), doi: 10.1016/j.jacl.2017.10.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Vascular inflammation and metabolic activity in hematopoietic organs and liver in familial combined hyperlipidemia and heterozygous familial hypercholesterolemia

Short title: FDG uptake and familial dyslipidemias

Authors: Konstantinos Toutouzas¹, MD, John Skoumas¹, MD, Iosif Koutagiar¹, MD, Georgios Benetos¹, MD, Nikoletta Pianou², PhD, Alexandros Georgakopoulos², MD, Spyros Galanakis¹, MD, Alexios Antonopoulos^{1, 5}, MD, Maria Drakopoulou¹, Evangelos K. Oikonomou⁵, MD, Pavlos Kafouris^{3,4}, PhD, Emmanouil Athanasiadis³, PhD, Marinos Metaxas, PhD², George Spyrou³, PhD, Zoi Pallantza¹, MD, Nikolaos Galiatsatos¹, MD, Constantina Aggeli¹, MD, Charalampos Antoniades⁵, MD, Georgia Keramida⁶, MD, Adrien M Peters⁶, MD, Constantinos D. Anagnostopoulos^{2*}, MD, Dimitris Tousoulis^{1*}, MD

¹First Department of Cardiology, Hippokration Hospital, Athens, Greece

²Center for Experimental Surgery, Clinical and Translational Research, Biomedical Research Foundation, Academy of Athens, Athens, Greece.

³Center of Systems Biology, Biomedical Research Foundation of the Academy.

⁴Department of Informatics and Telecommunications, University of Athens.

⁵Division of Cardiovascular Medicine, Radcliffe Department of Medicine, University of Oxford

⁶Division of Clinical and Laboratory Investigation, Brighton and Sussex Medical School, Brighton, UK

*Constantinos D. Anagnostopoulos and Dimitris Tousoulis are joint senior authors

Download English Version:

<https://daneshyari.com/en/article/8668498>

Download Persian Version:

<https://daneshyari.com/article/8668498>

[Daneshyari.com](https://daneshyari.com)