

Accepted Manuscript

Oral tranexamic acid is equivalent to topical tranexamic acid without drainage in primary total hip arthroplasty: A double-blind randomized clinical trial

Ze-Yu Luo, Duan Wang, Wei-Kun Meng, Hao-Yang Wang, Hui Pan, Fu-Xing Pei, Zong-Ke Zhou



PII: S0049-3848(18)30332-3
DOI: doi:[10.1016/j.thromres.2018.04.026](https://doi.org/10.1016/j.thromres.2018.04.026)
Reference: TR 7020
To appear in: *Thrombosis Research*
Received date: 18 December 2017
Revised date: 28 April 2018
Accepted date: 30 April 2018

Please cite this article as: Ze-Yu Luo, Duan Wang, Wei-Kun Meng, Hao-Yang Wang, Hui Pan, Fu-Xing Pei, Zong-Ke Zhou , Oral tranexamic acid is equivalent to topical tranexamic acid without drainage in primary total hip arthroplasty: A double-blind randomized clinical trial. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Tr(2017), doi:[10.1016/j.thromres.2018.04.026](https://doi.org/10.1016/j.thromres.2018.04.026)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Oral tranexamic acid is equivalent to topical tranexamic acid without drainage in primary total hip arthroplasty: a double-blind randomized clinical trial

Ze-Yu Luo^{1*}, Duan Wang^{1*}, Wei-Kun Meng^{1,*}, Hao-Yang Wang^{1,*}, Hui Pan², Fu-Xing Pei¹, Zong-Ke Zhou^{1,#}

¹ Department of Orthopedics, West China Hospital/West China School of Medicine, Sichuan University, Chengdu, 610041, P.R. China

² Department of Hematology, The First Affiliated Hospital of Chongqing Medical University, No. 1 Youyi Road, Yuzhong District, Chongqing 400016, PR China

* Ze-Yu Luo, Duan Wang, Wei-Kun Meng, and Hao-Yang Wang contributed equally to this work.

Address correspondence: Dr Zong-Ke Zhou PhD, Department of Orthopedics, West China Hospital, Sichuan University, 37# Wuhou Guoxue Road, Chengdu 610041, the People' Republic of China
Tel.: +86-028-85422570; Fax: +86-028-85423438
E-mail: zongke@126.com

Highlights

- The first study to compare multiple doses of oral TXA with its topical administration in the setting of primary THA
- The study also evaluated the impact of multiple doses of oral TXA on blood coagulation and fibrinolysis
- The study confirmed the blood-sparing effect of multiple doses of oral TXA

Download English Version:

<https://daneshyari.com/en/article/8679344>

Download Persian Version:

<https://daneshyari.com/article/8679344>

[Daneshyari.com](https://daneshyari.com)