Accepted Manuscript

Title: Reply: lymph stasis promotes tumor growth

Authors: Yoshiyuki Nakamura, Yasuhiro Fujisawa, Naoko Okiyama, Rei Watanabe, Ryota Tanaka, Yosuke Ishitsuka,

Hideaki Tahara, Manabu Fujimoto

PII: S0923-1811(18)30105-1

DOI: https://doi.org/10.1016/j.jdermsci.2018.02.011

Reference: DESC 3339

To appear in: Journal of Dermatological Science

Received date: 2-2-2018 Accepted date: 12-2-2018

Please cite this article as: Nakamura Yoshiyuki, Fujisawa Yasuhiro, Okiyama Naoko, Watanabe Rei, Tanaka Ryota, Ishitsuka Yosuke, Tahara Hideaki, Fujimoto Manabu.Reply: lymph stasis promotes tumor growth. *Journal of Dermatological Science* https://doi.org/10.1016/j.jdermsci.2018.02.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Reply: lymph stasis promotes tumor growth

Yoshiyuki Nakamura^{1*}, Yasuhiro Fujisawa¹, Naoko Okiyama¹, Rei Watanabe¹, Ryota Tanaka¹, Yosuke Ishitsuka¹, Hideaki Tahara², and Manabu Fujimoto¹

¹Departments of Dermatology, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan

²Department of Surgery and Bioengineering, Advanced Clinical Research Center, Institute of Medical Science, University of Tokyo, Tokyo, Japan

*Corresponding author: Yoshiyuki Nakamura, Departments of Dermatology, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennodai, Ibaraki 305-8575, Japan. Phone: +81-29-853-3128; fax: +81-29-853-3217

Our study suggested that surgical damage of the lymphatic system promotes tumor progression via impaired immune response [1]. However, as pointed out by Valerio et al, lymph stasis is likely to induce immune stasis, resulting in not only enhanced tumor growth but also tumor generation [2, 3]. In addition, bacterial infections often develop in the lymphedematous lesion, which would be mainly caused by immune

Download English Version:

https://daneshyari.com/en/article/8715629

Download Persian Version:

https://daneshyari.com/article/8715629

<u>Daneshyari.com</u>