Accepted Manuscript

Soluble Interleukin-7 receptor levels and risk of acute graftversus-disease after allogeneic haematopoietic stem cell transplantation



Katrine Kielsen, Zaiba Shamim, Stephanie Thiant, Sylvie Faucher, Wendy Decker, Ib Jarle Christensen, Lars Peter Ryder, Ibrahim Yakoub-Agha, Klaus Müller

PII:	81521-6616(17)30145-6
DOI:	doi: 10.1016/j.clim.2017.08.015
Reference:	YCLIM 7917
To appear in:	Clinical Immunology
Received date:	1 March 2017
Revised date:	10 July 2017
Accepted date:	28 August 2017

Please cite this article as: Katrine Kielsen, Zaiba Shamim, Stephanie Thiant, Sylvie Faucher, Wendy Decker, Ib Jarle Christensen, Lars Peter Ryder, Ibrahim Yakoub-Agha, Klaus Müller, Soluble Interleukin-7 receptor levels and risk of acute graft-versus-disease after allogeneic haematopoietic stem cell transplantation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yclim(2017), doi: 10.1016/j.clim.2017.08.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Soluble Interleukin-7 receptor levels and risk of acute graft-versus-

disease after allogeneic haematopoietic stem cell transplantation

Katrine Kielsen^{a,b}, Zaiba Shamim^{a,c}, Stephanie Thiant^d, Sylvie Faucher^e, Wendy Decker^f, Ib Jarle Christensen^g, Lars Peter Ryder^c, Ibrahim Yakoub-Agha^h, Klaus Müller^{a,b}

^aInstitute for Inflammation Research, Center for Rheumatology and Spine Disease, Copenhagen University Hospital Rigshospitalet, Blegdamsvej 9, Copenhagen, Denmark.

^bHaematopoietic Cell Transplantation and Primary Immune Deficiency, Department of Paediatric and

Adolescent Medicine, Copenhagen University Hospital Rigshospitalet, Blegdamsvej 9, Copenhagen, Denmark.

^cThe Tissue Typing Laboratory, Department of Clinical Immunology, Copenhagen University Hospital Rigshospitalet, Blegdamsvej 9, Copenhagen, Denmark.

^dDepartment of Microbiology and Immunology, Hôpital Maisonneuve-Rosemont, Boulevard de l'Assomption 5415, Montréal, Quebec, Canada.

^eBiologics and Genetic Therapies Directorate, Health Canada, Address Locator 0900C2, Ottawa, Ontario, Canada.

^fNational HIV and Retrovirology Laboratories, Public Health Agency of Canada, Eglantine Drw 100, Tunney's Pasture, Ottawa, Ontario, Canada.

^gDepartment of Surgical Gastroenterology, Hvidovre Hospital, Kettegård Allé 30, Hvidovre, Denmark. ^hLaboratory of Immunology, Center of Biology and Pathology, Centre Hospitalier Régional Universitaire de Lille, Avenue Oscar Lambret 1, 59037 Lille Cedex, France

Corresponding author: Katrine Kielsen, MD, Institute for Inflammation Research, Center for Rheumatology and Spine Disease, Copenhagen University Hospital Rigshospitalet, Blegdamsvej 9, DK-2100 Copenhagen, Denmark. Phone number: 004535457510; email: katrinekielsen@dadlnet.dk Download English Version:

https://daneshyari.com/en/article/8721400

Download Persian Version:

https://daneshyari.com/article/8721400

Daneshyari.com