## **Accepted Manuscript**

Prediction of lymph node metastasis in pancreatic neuroendocrine tumors by contrast enhancement characteristics

Takuya Mizumoto, Hirochika Toyama, Sachio Terai, Hideyo Mukubou, Hironori Yamashita, Sachiyo Shirakawa, Yoshihide Nanno, Keitaro Sofue, Masahiro Kido, Tetsuo Ajiki, Takumi Fukumoto

PII: \$1424-3903(17)30737-8

DOI: 10.1016/j.pan.2017.08.003

Reference: PAN 765


To appear in: Pancreatology

Received Date: 10 May 2017 Revised Date: 11 July 2017

Accepted Date: 18 August 2017

Please cite this article as: Mizumoto T, Toyama H, Terai S, Mukubou H, Yamashita H, Shirakawa S, Nanno Y, Sofue K, Kido M, Ajiki T, Fukumoto T, Prediction of lymph node metastasis in pancreatic neuroendocrine tumors by contrast enhancement characteristics, *Pancreatology* (2017), doi: 10.1016/j.pan.2017.08.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Original Article

Prediction of lymph node metastasis in pancreatic neuroendocrine tumors by contrast enhancement

characteristics

Takuya Mizumoto<sup>1</sup>, Hirochika Toyama<sup>1</sup>, Sachio Terai<sup>1</sup>, Hideyo Mukubou<sup>1</sup>, Hironori Yamashita<sup>1</sup>,

Sachiyo Shirakawa<sup>1</sup>, Yoshihide Nanno<sup>1</sup>, Keitaro Sofue<sup>2</sup>, Masahiro Kido<sup>1</sup>, Tetsuo Ajiki<sup>1</sup>,

and Takumi Fukumoto<sup>1</sup>

Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University Graduate

school of Medicine, 7-5-2, Kusunoki-cho, Chuo-ku, Kobe, Hyogo, 650-0017, Japan

2 Department of Radiology, Kobe University Graduate school of Medicine, 7-5-2, Kusunoki-cho,

Chuo-ku, Kobe, Hyogo, 650-0017, Japan

Corresponding author: Hirochika Toyama

Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University Graduate school

of Medicine, 7-5-2, Kusunoki-cho, Chuo-ku, Kobe, Hyogo, 650-0017, Japan

TEL: (+81)78-382-6302

FAX: (+81)78-382-6307

E-mail: toyama@med.kobe-u.ac.jp

**Short title:** CE-CT to predict PNET LN metastasis

1

## Download English Version:

## https://daneshyari.com/en/article/8730768

Download Persian Version:

https://daneshyari.com/article/8730768

Daneshyari.com