Accepted Manuscript

A Novel and Reliable Method to Detect Microsatellite Instability in Colorectal Cancer by Next-Generation Sequencing

Lizhen Zhu, Yanqin Huang, Xuefeng Fang, Chenglin Liu, Wanglong Deng, Chenhan Zhong, Jinghong Xu, Dong Xu, Ying Yuan

PII: S1525-1578(17)30369-0

DOI: 10.1016/j.jmoldx.2017.11.007


Reference: JMDI 657

To appear in: The Journal of Molecular Diagnostics

Accepted Date: 22 November 2017

Please cite this article as: Zhu L, Huang Y, Fang X, Liu C, Deng W, Zhong C, Xu J, Xu D, Yuan Y, A Novel and Reliable Method to Detect Microsatellite Instability in Colorectal Cancer by Next-Generation Sequencing, *The Journal of Molecular Diagnostics* (2018), doi: 10.1016/j.jmoldx.2017.11.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A novel and reliable method to detect microsatellite instability in colorectal

cancer by next-generation sequencing

Lizhen Zhu,*† Yanqin Huang,† Xuefeng Fang,*† Chenglin Liu,‡ Wanglong Deng,§ Chenhan

Zhong,*† Jinghong Xu,¶ Dong Xu,l and Ying Yuan*†

From the Department of Medical Oncology,* The Second Affiliated Hospital of Zhejiang University

School of Medicine, Hangzhou; the Cancer Institute (Key Laboratory of Cancer Prevention and

Intervention, Chinese National Ministry of Education; Key Laboratory of Molecular Biology in

Medical Sciences), and the Departments of Pathology¶ and Surgical Oncology, | The Second Affiliated

Hospital of Zhejiang University School of Medicine, Hangzhou; and the Departments of

Bioinformatics,‡ and Research and Development,§ Burning Rock Biotech, Guangzhou, China

Short title: A novel and reliable method to detect MSI in CRC by NGS

Footnote: L.Z. and Y.H. contributed equally.

Funding: Supported by Key Projects in the National Science & Technology Pillar Program

during the Twelfth Five-year Plan Period (No. 2014BAI09B07; Y.Y.) and the Natural Science

Foundation of Zhejiang Province (LY16H160027; X.F.).

Download English Version:

https://daneshyari.com/en/article/8733387

Download Persian Version:

https://daneshyari.com/article/8733387

Daneshyari.com