Accepted Manuscript

Title: Topical aminolevulinic acid—photodynamic therapy in the treatment of keratoacanthoma: a case report

Authors: Ting Lv, Fei Miao, Min-Feng Wu, Shu Nie, Shan-shan Li, Xiuli Wang, Hong-wei Wang

PII: S1572-1000(18)30119-4

DOI: https://doi.org/10.1016/j.pdpdt.2018.06.005


Reference: PDPDT 1181

To appear in: Photodiagnosis and Photodynamic Therapy

Received date: 15-4-2018 Revised date: 25-5-2018 Accepted date: 4-6-2018

Please cite this article as: Lv T, Miao F, Wu M-Feng, Nie S, Li S-shan, Wang X, Wang H-wei, Topical aminolevulinic acid–photodynamic therapy in the treatment of keratoacanthoma: a case report, *Photodiagnosis and Photodynamic Therapy* (2018), https://doi.org/10.1016/j.pdpdt.2018.06.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



2Topical aminolevulinic acid-photodynamic therapy in the

treatment of keratoacanthoma: a case report

Ting Lv a,b,1, Fei Miao a, Min-Feng Wu a, Shu Nie a, Shan-shan Li a, Xiuli

Wang b, Hong-wei Wang a,*

^a Department of Dermatology, Huadong Hospital, Fudan University, Shanghai 200040, PR

^b Shanghai Skin Disease Hospital, Institute of Photomedicine, Tongji University School of

Medicine, Shanghai 200050, PR China

* Corresponding author at: Department of Dermatology, Huadong Hospital, Fudan University.

Tel.: +86 21 62483180

E-mail address: hongweiwang2005@aliyun.com

Highlights

First, up to now, there is still a lack of definitive guidelines for the

management of patients with Keratoacanthoma. This situation is

due to a longstanding debate over the classification of

Keratoacanthoma as a benign, spontaneously resolving tumor

versus a well-differentiated squamous cell carcinoma with a rare

potential for metastasis. Just because of this, it would be

reasonable to treat a giant Keratoacanthoma which aggravated by

cryotherapy, and ALA-PDT was used successfully to cure such a KA

after a shave biopsy in this case report.

Download English Version:

https://daneshyari.com/en/article/8765322

Download Persian Version:

https://daneshyari.com/article/8765322

<u>Daneshyari.com</u>