Title: Healthy young adults implement distinctive avoidance strategies while walking and circumventing virtual human vs. non-human obstacles in a virtual environment

Authors: Souza Silva Wagner, Aravind Gayatri, Sangani Samir, Lamontagne Anouk

PII: S0966-6362(18)30039-0
DOI: https://doi.org/10.1016/j.gaitpost.2018.01.028
Reference: GAIPOS 5942

To appear in: *Gait & Posture*

Received date: 19-7-2017
Revised date: 8-1-2018
Accepted date: 23-1-2018

Please cite this article as: Wagner Souza Silva, Gayatri Aravind, Samir Sangani, Anouk Lamontagne.Healthy young adults implement distinctive avoidance strategies while walking and circumventing virtual human vs.non-human obstacles in a virtual environment.*Gait and Posture* https://doi.org/10.1016/j.gaitpost.2018.01.028

Title:

Healthy young adults implement distinctive avoidance strategies while walking and circumventing virtual human vs. non-human obstacles in a virtual environment

Author names and affiliations:

SOUZA SILVA, Wagner [a, b] (wagner.souzasilva@mail.mcgill.ca);

ARAVIND, Gayatri [a, b, c] (gayatri.aravind@utoronto.ca);

SANGANI, Samir [b] (samir.sangani@gmail.com);

LAMONTAGNE, Anouk [a, b] (anouk.lamontagne@mcgill.ca).

[a] School of Physical & Occupational Therapy, McGill University. 3654 Prom Sir-William-Osler, Montreal, QC H3G 1Y5. Canada;

[b] Feil and Oberfeld Research Center, Jewish Rehabilitation Hospital (CISSS-Laval), Research cite of CRIR, laboratory of virtual reality and locomotion. 3205 Place Alton-Goldbloom, Laval QC H7V 1R2, Canada

[c] Department of Physical Therapy, University of Toronto, 160-500 University Avenue, Toronto, ON M5G 1V7, Canada

Corresponding author: SOUZA SILVA, Wagner.

Email address: wagner.souzasilva@mail.mcgill.ca

Address: Jewish Rehabilitation Hospital (CISSS-Laval), Research cite of CRIR, laboratory of virtual reality and locomotion. 3205 Alton-Goldbloom Place, Laval, QC H7V 1R2. Canada.

Highlights

- The nature of the obstacle (animate or inanimate) can modify avoidance strategies.
- Circumvention of avatars leads to smaller obstacle clearance compared to cylinders.