
Accepted Manuscript

Buffered or bundled, least-cost paths are not least-cost corridors: Computational experiments on path-based and wide-path-based models to conservation corridor design and effective distance estimation



Takeshi Shirabe

PII: S1574-9541(17)30227-3

DOI: doi:10.1016/j.ecoinf.2018.02.002

Reference: ECOINF 840

To appear in: Ecological Informatics

Received date: 17 August 2017 Revised date: 10 February 2018 Accepted date: 13 February 2018

Please cite this article as: Takeshi Shirabe, Buffered or bundled, least-cost paths are not least-cost corridors: Computational experiments on path-based and wide-path-based models to conservation corridor design and effective distance estimation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ecoinf(2017), doi:10.1016/j.ecoinf.2018.02.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Title

Buffered or Bundled, Least-Cost Paths Are Not Least-Cost Corridors: Computational

Experiments on Path-Based and Wide-Path-Based Models to Conservation Corridor Design and

Effective Distance Estimation

Author

Takeshi Shirabe

Affiliation

School of Architecture and the Built Environment

KTH Royal Institute of Technology

Address

Drottning Kristinas väg 30, 100 44 Stockholm, Sweden

Phone: +46-8-736-9967

E-mail: shirabe@kth.se

Download English Version:

https://daneshyari.com/en/article/8845847

Download Persian Version:

https://daneshyari.com/article/8845847

<u>Daneshyari.com</u>