


Accepted Manuscript

Faecal indicator organism inputs to watercourses from streamside pastures grazed by cattle: Before and after implementation of streambank fencing

David Kay, John Crowther, Carl M. Stapleton, Mark D. Wyer



PII: S0043-1354(18)30496-2

DOI: [10.1016/j.watres.2018.06.046](https://doi.org/10.1016/j.watres.2018.06.046)

Reference: WR 13873

To appear in: *Water Research*

Received Date: 16 January 2018


Revised Date: 15 June 2018

Accepted Date: 19 June 2018

Please cite this article as: Kay, D., Crowther, J., Stapleton, C.M., Wyer, M.D., Faecal indicator organism inputs to watercourses from streamside pastures grazed by cattle: Before and after implementation of streambank fencing, *Water Research* (2018), doi: 10.1016/j.watres.2018.06.046.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Monitoring of cattle behaviour and sources/input fluxes of FIOs to a stream reach from grazed streamside pastures BEFORE and AFTER installation of additional streambank fencing in the Tamar Demonstration Test Catchment, SW England



Download English Version:

<https://daneshyari.com/en/article/8873518>

Download Persian Version:

<https://daneshyari.com/article/8873518>

[Daneshyari.com](https://daneshyari.com)