Accepted Manuscript

Title: Health Care Utilization and Costs Associated with Pediatric Chronic Pain

Author: Dmitry Tumin, David Drees, Rebecca Miller, Sharon Wrona, Don Hayes Jr., Joseph D. Tobias, Tarun Bhalla

PII: S1526-5900(18)30123-8

DOI: https://doi.org/10.1016/j.jpain.2018.03.012

Reference: YJPAI 3560

To appear in: The Journal of Pain

Received date: 15-12-2017 Revised date: 12-3-2018 Accepted date: 24-3-2018



Please cite this article as: Dmitry Tumin, David Drees, Rebecca Miller, Sharon Wrona, Don Hayes Jr., Joseph D. Tobias, Tarun Bhalla, Health Care Utilization and Costs Associated with Pediatric Chronic Pain, *The Journal of Pain* (2018), https://doi.org/10.1016/j.jpain.2018.03.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Health care utilization and costs associated with pediatric chronic pain

Dmitry Tumin, PhD;^{1,3} David Drees, MA, BA;³ Rebecca Miller, BS;¹ Sharon Wrona, DNP;¹ Don Hayes, Jr., MD MS;^{2,4} Joseph D. Tobias, MD;^{1,5} Tarun Bhalla, MD, MBA^{1,5}

Nationwide Children's Hospital, Columbus, OH

The Ohio State University College of Medicine, Columbus, OH

Correspondence:

Dmitry Tumin, PhD. The Ohio State University and Nationwide Children's Hospital. 700 Children's Drive, Columbus, OH 43205.

Phone: +1 (614) 722-2675. Fax: +1 (614) 722-4203.

Email: dmitry.tumin@nationwidechildrens.org

Disclosures:

All authors have no sources of funding or conflicts of interest to report.

Highlights

- In a 2016 survey of the United States population, 6% of children had chronic pain
- Chronic pain was associated with greater odds of using emergency care in past year
- Chronic pain was also associated with higher out-of-pocket medical expenses
- Chronic pain was not associated with increased odds of using mental health services

¹ Department of Anesthesiology and Pain Medicine

² Section of Pulmonary Medicine

³ Department of Pediatrics

⁴ Department of Pulmonary and Critical Care Medicine

⁵ Department of Anesthesiology

Download English Version:

https://daneshyari.com/en/article/8956755

Download Persian Version:

https://daneshyari.com/article/8956755

<u>Daneshyari.com</u>