

Co-activation is not altered in the contra-lateral limb of individuals with moderate knee osteoarthritis compared to healthy controls

Michelle Jones, William Stanish, Derek Rutherford

PII: S0268-0033(18)30327-9
DOI: doi:10.1016/j.clinbiomech.2018.09.003
Reference: JCLB 4592

To appear in: *Clinical Biomechanics*

Received date: 19 May 2017
Accepted date: 3 September 2018

Please cite this article as: Michelle Jones, William Stanish, Derek Rutherford , Co-activation is not altered in the contra-lateral limb of individuals with moderate knee osteoarthritis compared to healthy controls. Jclb (2018), doi:10.1016/j.clinbiomech.2018.09.003

Title: Co-activation is not altered in the contra-lateral limb of individuals with moderate knee osteoarthritis compared to healthy controls

Authors and Affiliations:

Michelle Jones[1] – Michelle.Jones@dal.ca
William Stanish MD[3] wstanish@stanishortho.com
Derek Rutherford PT PhD[1,2] djr@dal.ca

1. School of Physiotherapy
   Faculty of Health
   Dalhousie University
   Halifax, NS, Canada

2. School of Biomedical Engineering
   Faculty of Engineering
   Dalhousie University
   Halifax, NS, Canada

3. Department of Surgery
   Division of Orthopaedics
   Dalhousie University
   Halifax, NS, Canada

Corresponding Author

Derek J Rutherford

School of Physiotherapy
4th Floor Forrest Building, Dalhousie University
5869 University Ave, PO Box 15000, B3H 4R2
Halifax, NS, Canada
Email: djr@dal.ca

Abstract Word Count: 250
Manuscript Word Count: 3965

Key Words: Knee osteoarthritis; Gait analysis; Electromyography; Treadmill walking;

Contra-lateral knee; biomechanics