


Accepted Manuscript

A meta-analysis of Selective Serotonin Reuptake Inhibitors (SSRIs) use during prenatal depression and risk of low birth weight and small for gestational age

Xiaofeng Zhao , Qian Liu , Suxia Cao , Jianyue Pang ,
Huijie Zhang , Tingting Feng , Yajie Deng , Jing Yao , Hengfen Li

PII: S0165-0327(17)32691-5
DOI: <https://doi.org/10.1016/j.jad.2018.08.061>
Reference: JAD 10059



To appear in: *Journal of Affective Disorders*

Received date: 25 December 2017
Revised date: 10 June 2018
Accepted date: 12 August 2018

Please cite this article as: Xiaofeng Zhao , Qian Liu , Suxia Cao , Jianyue Pang , Huijie Zhang , Tingting Feng , Yajie Deng , Jing Yao , Hengfen Li , A meta-analysis of Selective Serotonin Reuptake Inhibitors (SSRIs) use during prenatal depression and risk of low birth weight and small for gestational age, *Journal of Affective Disorders* (2018), doi: <https://doi.org/10.1016/j.jad.2018.08.061>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Selective serotonin reuptake inhibitors (SSRIs) are commonly prescribed antidepressants.
- Association between prenatal SSRIs use and suboptimal fetal growth were explored.
- SSRI use for prenatal depression is associated with suboptimal fetal growth.

Download English Version:

<https://daneshyari.com/en/article/10095759>

Download Persian Version:

<https://daneshyari.com/article/10095759>

[Daneshyari.com](https://daneshyari.com)