

Accepted Manuscript

Title: C6 glioma-derived microvesicles stimulate the proliferative and metastatic gene expression of normal astrocytes

Authors: Behnaz Taheri, Masoud Soleimani, Sedigheh Fekri Aval, Fatemeh Memari, Nosratollah Zarghami



PII: S0304-3940(18)30579-2
DOI: <https://doi.org/10.1016/j.neulet.2018.08.034>
Reference: NSL 33769

To appear in: *Neuroscience Letters*

Received date: 13-5-2018
Revised date: 13-8-2018
Accepted date: 24-8-2018

Please cite this article as: Taheri B, Soleimani M, Aval SF, Memari F, Zarghami N, C6 glioma-derived microvesicles stimulate the proliferative and metastatic gene expression of normal astrocytes, *Neuroscience Letters* (2018), <https://doi.org/10.1016/j.neulet.2018.08.034>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

C6 glioma-derived microvesicles stimulate the proliferative and metastatic gene expression of normal astrocytes

Behnaz Taheri¹, Masoud Soleimani^{2,3}, Sedigheh Fekri Aval¹, Fatemeh Memari¹, Nosratollah Zarghami^{1,4,*}

¹ *Department of Medical Biotechnology, Faculty of Advanced Medical Sciences, Tabriz University of Medical Sciences, Tabriz, Iran.*

² *Department of Hematology, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran.*

³ *Stem Cell Technology Research center, Tehran, Iran.*

⁴ *Department of Clinical Biochemistry and Laboratory Medicine, Faculty of Medicine, Tabriz University of Medical Sciences, Tabriz, Iran.*

*Correspondence to:

Nosratollah Zarghami,
Department of Medical Biotechnology,
Faculty of Advanced Medical Sciences,
Tabriz University of Medical Sciences,
Tabriz, Iran. Postal code: 51666-14766,
E-mail: Zarghami@tbzmed.ac.ir
Tel: +98 914 304 3710

Highlights

- C6 cell-derived microvesicles mainly ranged from 200 to 300 nm.
- Activation of normal astrocytes with C6 microvesicles.
- Upregulation of MMP2 and MMP14 in astrocytes incubated with C6MVs.
- Downregulation of TIMP-2 in astrocytes incubated with C6MVs.

Download English Version:

<https://daneshyari.com/en/article/10106954>

Download Persian Version:

<https://daneshyari.com/article/10106954>

[Daneshyari.com](https://daneshyari.com)