


## Accepted Manuscript

How much should one sample to accurately predict the distribution of species assemblages? A virtual community approach

Rui F. Fernandes, Daniel Scherrer, Antoine Guisan



PII: S1574-9541(18)30161-4  
DOI: doi:[10.1016/j.ecoinf.2018.09.002](https://doi.org/10.1016/j.ecoinf.2018.09.002)  
Reference: ECOINF 887  
To appear in: *Ecological Informatics*  
Received date: 26 June 2018  
Revised date: 14 August 2018  
Accepted date: 3 September 2018

Please cite this article as: Rui F. Fernandes, Daniel Scherrer, Antoine Guisan , How much should one sample to accurately predict the distribution of species assemblages? A virtual community approach. *Ecoinf* (2018), doi:[10.1016/j.ecoinf.2018.09.002](https://doi.org/10.1016/j.ecoinf.2018.09.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

How much should one sample to accurately predict the distribution of species assemblages? A virtual community approach

Rui F. Fernandes<sup>a,\*</sup> rui.fff24@gmail.com, Daniel Scherrer<sup>a</sup> and Antoine Guisan<sup>a,b</sup>

<sup>a</sup>Department of Ecology and Evolution, University of Lausanne, Biophore, 1015 Lausanne, Switzerland

<sup>b</sup>Institute of Earth Surface Dynamics, University of Lausanne, Geopolis, 1015 Lausanne, Switzerland

\*Corresponding author.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10110079>

Download Persian Version:

<https://daneshyari.com/article/10110079>

[Daneshyari.com](https://daneshyari.com)