


Accepted Manuscript

Hillslope-storage Boussinesq model for simulating subsurface water storage dynamics in scantily-gauged catchments

Soumyaranjan Sahoo , Bhabagrahi Sahoo , Sudhindra N. Panda

PII: S0309-1708(17)31020-5
DOI: <https://doi.org/10.1016/j.advwatres.2018.08.016>
Reference: ADWR 3189



To appear in: *Advances in Water Resources*

Received date: 6 November 2017
Revised date: 20 August 2018
Accepted date: 26 August 2018

Please cite this article as: Soumyaranjan Sahoo , Bhabagrahi Sahoo , Sudhindra N. Panda , Hillslope-storage Boussinesq model for simulating subsurface water storage dynamics in scantily-gauged catchments, *Advances in Water Resources* (2018), doi: <https://doi.org/10.1016/j.advwatres.2018.08.016>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- We enhanced the hsB model considering surface ponding, saturation-unsaturation zone dynamics, and bedrock leakage flux.
- We applied the enhanced hsB model in a semi-gauged real headwater catchment.
- We advocated that all the hydrological fluxes must be considered for its field application.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10117727>

Download Persian Version:

<https://daneshyari.com/article/10117727>

[Daneshyari.com](https://daneshyari.com)