

## Accepted Manuscript

Title: Proactive drugs in DFSA cases: toxicological findings in an eight-years study

Authors: Elisabetta Bertol, Maria Grazia Di Milia, Alessia Fioravanti, Francesco Mari, Diego Palumbo, Jennifer P. Pascali, Fabio Vaiano



PII: S0379-0738(18)30665-0  
DOI: <https://doi.org/10.1016/j.forsciint.2018.08.032>  
Reference: FSI 9456

To appear in: *FSI*

Received date: 25-5-2018  
Revised date: 2-8-2018  
Accepted date: 25-8-2018

Please cite this article as: Elisabetta Bertol, Maria Grazia Di Milia, Alessia Fioravanti, Francesco Mari, Diego Palumbo, Jennifer P. Pascali, Fabio Vaiano, Proactive drugs in DFSA cases: toxicological findings in an eight-years study, Forensic Science International <https://doi.org/10.1016/j.forsciint.2018.08.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Proactive drugs in DFSA cases: toxicological findings in an eight-years study**

Elisabetta Bertol, Maria Grazia Di Milia, Alessia Fioravanti, Francesco Mari, Diego Palumbo, Jennifer P. Pascali\*, Fabio Vaiano

Forensic Toxicology Unit, Department of Health Sciences, University of Florence, Largo Brambilla 3, Florence, Italy; U.R.I.To.N- Unit of Research of University of Florence, Florence, Italy

**Corresponding author:**

jenniferpaola.pascali@unifi.it

+30 055 2751787

**ORCID:** 0000-0002-1363-3400

**Highlights**

- Drug facilitated sexual assault are the most common type of Drug Facilitated Crimes.
- Some countries have no jurisprudence in DFSA area, others consider it an aggravating circumstance
- Substances causing disinhibition and amnesia are preferred, particularly if not detected by the victim.
- Most of results concerned ethanol alone and co-assumption with benzodiazepine.
- There is no a single substance that is uniquely associated with DFSA.

Download English Version:

<https://daneshyari.com/en/article/10126811>

Download Persian Version:

<https://daneshyari.com/article/10126811>

[Daneshyari.com](https://daneshyari.com)