Accepted Manuscript

Direct nonlinear Fourier transform algorithms for the computation of solitonic spectra in focusing nonlinear Schrödinger equation

A. Vasylchenkova, J.E. Prilepsky, D. Shepelsky, A. Chattopadhyay

 PII:
 S1007-5704(18)30285-5

 DOI:
 https://doi.org/10.1016/j.cnsns.2018.09.005

 Reference:
 CNSNS 4632



To appear in: Communications in Nonlinear Science and Numerical Simulation

Received date:	31 July 2017
Revised date:	27 July 2018
Accepted date:	5 September 2018

Please cite this article as: A. Vasylchenkova, J.E. Prilepsky, D. Shepelsky, A. Chattopadhyay, Direct nonlinear Fourier transform algorithms for the computation of solitonic spectra in focusing nonlinear Schrödinger equation, *Communications in Nonlinear Science and Numerical Simulation* (2018), doi: https://doi.org/10.1016/j.cnsns.2018.09.005

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Comprehensive list of options for NFT computation is formulated.
- Iterative and contour integral approaches for eigenvalues computation are compared
- A new algorithm with combined iterative and contour integral methods is developed
- The norming constants evaluation methods are refined

Download English Version:

https://daneshyari.com/en/article/10127584

Download Persian Version:

https://daneshyari.com/article/10127584

Daneshyari.com