

Author's Accepted Manuscript

A closed inline system for sample digestion using 70% hydrogen peroxide and UV radiation. Determination of lead in wine employing ETAAS

Raineldes A. Cruz Junior, Adriano V. Chagas, Caio S.A. Felix, Rosemaria C. Souza, Luciana A. Silva, Valfredo A. Lemos, Sergio L.C. Ferreira



PII: S0039-9140(18)30903-2
DOI: <https://doi.org/10.1016/j.talanta.2018.08.085>
Reference: TAL19006

To appear in: *Talanta*

Received date: 30 June 2018
Revised date: 29 August 2018
Accepted date: 30 August 2018

Cite this article as: Raineldes A. Cruz Junior, Adriano V. Chagas, Caio S.A. Felix, Rosemaria C. Souza, Luciana A. Silva, Valfredo A. Lemos and Sergio L.C. Ferreira, A closed inline system for sample digestion using 70% hydrogen peroxide and UV radiation. Determination of lead in wine employing ETAAS, *Talanta*, <https://doi.org/10.1016/j.talanta.2018.08.085>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A closed inline system for sample digestion using 70% hydrogen peroxide and UV radiation. Determination of lead in wine employing ETAAS

Raineldes A. Cruz Junior^{1,2}, Adriano V. Chagas^{1,2}, Caio S.A. Felix^{1,2}, Rosemaria C. Souza^{1,2},
Luciana A. Silva^{1,2}, Valfredo A. Lemos^{2,3}, Sergio L.C. Ferreira^{1,2*}

¹Universidade Federal da Bahia, Instituto de Química, Grupo de Pesquisa em Química e Quimiometria, Campus Ondina, 40170-115, Salvador, Bahia, Brazil

²Instituto Nacional de Ciência e Tecnologia, INCT, de Energia e Ambiente, Universidade Federal da Bahia, 40170-115, Salvador, Bahia, Brazil

³Universidade Estadual do Sudoeste Bahia, 45206-510, Jequié - Brazil.

*Author correspondence. S.L.C. Ferreira, Tel/Fax: 55-71-32836831.. E-mail: slcf@ufba.br

ABSTRACT

This paper proposes a closed inline system for decomposition of wine, aiming at the determination of lead using electrothermal atomization atomic absorption spectrometry (ETAAS). The system is built using a 0.8 mm diameter PTFE tube, which is wrapped around an

Download English Version:

<https://daneshyari.com/en/article/10128039>

Download Persian Version:

<https://daneshyari.com/article/10128039>

[Daneshyari.com](https://daneshyari.com)