Title: TREADMILL-BASED GAIT-SLIP TRAINING WITH REDUCED TRAINING VOLUME COULD STILL PREVENT SLIP-RELATED FALLS

Authors: Feng Yang, Patrick Cereceres, Mu Qiao

PII: S0966-6362(18)31466-8
DOI: https://doi.org/10.1016/j.gaitpost.2018.08.029
Reference: GAIPOS 6485

To appear in: *Gait & Posture*

Received date: 27-11-2017
Revised date: 13-8-2018
Accepted date: 24-8-2018

Please cite this article as: Yang F, Cereceres P, Qiao M, TREADMILL-BASED GAIT-SLIP TRAINING WITH REDUCED TRAINING VOLUME COULD STILL PREVENT SLIP-RELATED FALLS, *Gait and amp; Posture* (2018), https://doi.org/10.1016/j.gaitpost.2018.08.029

TITLE PAGE

TREADMILL-BASED GAIT-SLIP TRAINING WITH REDUCED TRAINING VOLUME COULD STILL PREVENT SLIP-RELATED FALLS

Feng Yang [1], Patrick Cereceres [2], Mu Qiao [3]

[1] Department of Kinesiology and Health, Georgia State University, Atlanta, USA

[2] Department of Kinesiology, The University of Texas at El Paso, El Paso, USA

[3] Department of Kinesiology, Louisiana Tech University, Ruston, USA

Corresponding author: Feng Yang, PhD
Department of Kinesiology and Health
Georgia State University
125 Decatur St, Suite-137
Atlanta, GA 30303
E-mail: fyang@gsu.edu

RESEARCH HIGHLIGHTS

- Shortened perturbation training protocol could reduce falls