

Accepted Manuscript

Title: Gait Analysis of Patients with Continuous Proximal Sciatic Nerve Blockade in Flexion Contractures after Primary Total Knee Arthroplasty

Authors: Meng Zhou, Shuai An, Mingli Feng, Zheng Li, Huiliang Shen, Kuan Zhang, Jun Sun, Guanglei Cao



PII: S0966-6362(18)31435-8
DOI: <https://doi.org/10.1016/j.gaitpost.2018.08.021>
Reference: GAIPOS 6477

To appear in: *Gait & Posture*

Received date: 18-12-2016
Revised date: 30-6-2018
Accepted date: 20-8-2018

Please cite this article as: Zhou M, An S, Feng M, Li Z, Shen H, Zhang K, Sun J, Cao G, Gait Analysis of Patients with Continuous Proximal Sciatic Nerve Blockade in Flexion Contractures after Primary Total Knee Arthroplasty, *Gait and Posture* (2018), <https://doi.org/10.1016/j.gaitpost.2018.08.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Gait Analysis of Patients with Continuous Proximal Sciatic Nerve Blockade in Flexion Contractures after Primary Total Knee Arthroplasty

Meng Zhou^{a,b,1}, Shuai An^a, Mingli Feng^a, Zheng Li^a, Huiliang Shen^a, Kuan Zhang^c, Jun Sun^d, Guanglei Cao^{a*}

^a Department of Orthopedics, Xuanwu Hospital, Capital Medical University, No.45 Changchun Street, Xicheng District, Beijing, China

^b Department of Orthopedics, Beijing Jishuitan Hospital, No.31 East Street, Beijing, China.

^c School of Biomedical Engineering, Capital Medical University, No.10 Xi Tou Tiao, Youanmen wai, Fengtai District, Beijing, China.

^d Department of Radiology, Beijing Youan Hospital, Capital Medical University, No.8 Xi Tou Tiao, Youanmen wai, Fengtai District, Beijing, China.

E-mail address: 892041778@qq.com (M. Zhou), 1139856152@qq.com (S. An), fengmingli6666@163.com (M. Feng), xwgklz@163.com (Z. Li), shl83198899@163.com (H. Shen), kz6@columbia.edu (K. Zhang), sunjun.123@163.com (J. Sun), zhoumeng@mail.ccmu.edu.cn (G. Cao)

*Correspondence author: Guanglei Cao

Department of Orthopedics, Xuanwu Hospital, Capital Medical University, No. 45, Changchun Street, Xicheng District, Beijing, 100053, China.

Email: zhoumeng@mail.ccmu.edu.cn

Highlights

- The objective effect of using CPSNB to treat TKA patients with flexion contractive.
- The rehabilitation time should be prolonged.
- The application of PMA for TKA patients.

Abstract

Background: The main objective of total knee arthroplasty is to relieve pain,

Download English Version:

<https://daneshyari.com/en/article/10129803>

Download Persian Version:

<https://daneshyari.com/article/10129803>

[Daneshyari.com](https://daneshyari.com)