### Accepted Manuscript

Title: A CASE OF A RIGHT ACCESSORY HEPATIC DUCT DIAGNOSED DURING A WHIPPLE PROCEDURE

Authors: Konstantinos Manesis, Efstathios Nikou, Spiridon Zaravinos, Petros Bouboulis, Christianna Oikonomou, Dimitrios N. Kalliouris, Dimitrios Filippou, Panagiotis Skandalakis

PII: \$2210-2612(18)30334-1

DOI: https://doi.org/10.1016/j.ijscr.2018.08.034

Reference: IJSCR 3304

To appear in:

Received date: 20-4-2018 Revised date: 11-7-2018 Accepted date: 14-8-2018

Please cite this article as: Manesis K, Nikou E, Zaravinos S, Bouboulis P, Oikonomou C, Kalliouris DN, Filippou D, Skandalakis P, A CASE OF A RIGHT ACCESSORY HEPATIC DUCT DIAGNOSED DURING A WHIPPLE PROCEDURE, *International Journal of Surgery Case Reports* (2018), https://doi.org/10.1016/j.ijscr.2018.08.034

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

# A CASE OF A RIGHT ACCESSORY HEPATIC DUCT DIAGNOSED DURING A WHIPPLE PROCEDURE

Konstantinos Manesis<sup>1,5</sup>, Efstathios Nikou<sup>1</sup>, Spiridon Zaravinos<sup>1</sup>, Petros Bouboulis<sup>1,5</sup>, Christianna Oikonomou<sup>2,5</sup>, Dimitrios N. Kalliouris<sup>1,5</sup>, Dimitrios Filippou<sup>5</sup>, Panagiotis Skandalakis<sup>5</sup>

2<sup>nd</sup> Department of General Surgery Resident, 417 Army Share Fund Hospital, Monis Petraki 10-12, 11521, Athens

Department of Anatomy and Surgical Anatony, Medical School, National and Kapodestrian University of Athens, Athens, Greece

#### **Highlights**

- Accessory right hepatic duct, that merged to the common bile duct
- The accessory right hepatic duct drains the posterior segments of the right hepatic lobe
- A detailed mapping of the bile tree is essential especially before major procedures

#### Abstract

**Introduction**. Although anatomic variations of the bile tract are relatively common and can be present in about 28% of patients, existence of an accessory right hepatic duct that confluence on the common bile duct is quite rare.

<sup>&</sup>lt;sup>1</sup> 2<sup>nd</sup> Department of General Surgery, 417 Army Share Fund Hospital, Athens, Greece

<sup>&</sup>lt;sup>2</sup> 1<sup>st</sup> Department of Surgery, 417 Army Share Fund Hospital, Athens, Greece

<sup>&</sup>lt;sup>5</sup> Department of Anatomy and Surgical Anatony, Medical School, National and Kapodestrian University of Athens, Athens, Greece

<sup>\*</sup>Corresponding Author's information: Konstantinos Manesis, Kleomenous 31, 10676, Athens, Greece, <a href="manesiskostas@yahoo.com">manesiskostas@yahoo.com</a>, (0030)6947186616

#### Download English Version:

# https://daneshyari.com/en/article/10129965

Download Persian Version:

https://daneshyari.com/article/10129965

<u>Daneshyari.com</u>