Accepted Manuscript



Sodium fluoride disrupts testosterone biosynthesis by affecting the steroidogenic pathway in TM3 Leydig cells

Banu Orta Yilmaz, Ahu Korkut, Melike Erkan

PII:	S0045-6535(18)31588-1
DOI:	10.1016/j.chemosphere.2018.08.112
Reference:	CHEM 22030
To appear in:	*Chemosphere*
Received Date:	07 June 2018
Accepted Date:	21 August 2018

Please cite this article as: Banu Orta Yilmaz, Ahu Korkut, Melike Erkan, Sodium fluoride disrupts testosterone biosynthesis by affecting the steroidogenic pathway in TM3 Leydig cells, *Chemosphere* (2018), doi: 10.1016/j.chemosphere.2018.08.112

Sodium fluoride disrupts testosterone biosynthesis by affecting the steroidogenic pathway in TM3 Leydig cells

Banu ORTA YILMAZ [a, *], Ahu KORKUT [b], Melike ERKAN [a]

[a] Department of Biology, Faculty of Science, Istanbul University, Istanbul, Turkey

[b] Department of Obstetrics and Gynaecology, Isparta City Hospital, Isparta, Turkey

Banu ORTA YILMAZ (corresponding author)

Address: Istanbul University, Science Faculty, Department of Biology, 34134 Vezneciler, Istanbul, Turkey

Phone number: +905557133063

Fax number: +902125190834

Email: banu.yilmaz@istanbul.edu.tr

Runnig head: Sodium fluoride may adversely affect testosterone biosynthesis