

Accepted Manuscript

Association between physical activity and depressive symptoms in general adult populations: An analysis of the dose-response relationship

Sun-Young Kim , Sang-Won Jeon , Dong-Won Shin ,
Kang-Seob Oh , Young-Chul Shin , Se-Won Lim

PII: S0165-1781(18)30434-7
DOI: <https://doi.org/10.1016/j.psychres.2018.08.076>
Reference: PSY 11670



To appear in: *Psychiatry Research*

Received date: 8 March 2018
Revised date: 28 July 2018
Accepted date: 17 August 2018

Please cite this article as: Sun-Young Kim , Sang-Won Jeon , Dong-Won Shin , Kang-Seob Oh , Young-Chul Shin , Se-Won Lim , Association between physical activity and depressive symptoms in general adult populations: An analysis of the dose-response relationship, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.076>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The U-shaped relationship between physical activity and depression was observed.
- 2-3 times the recommended physical activity minimum was an optimal range.
- The optimal level of physical activity for antidepressant effect was higher in men than in women.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10132272>

Download Persian Version:

<https://daneshyari.com/article/10132272>

[Daneshyari.com](https://daneshyari.com)