

Accepted Manuscript

Acute stress and substance use as predictors of suicidal behaviour in acute and transient psychotic disorders

Álvaro López-Díaz , Pablo Lorenzo-Herrero , Ignacio Lara ,
José Luis Fernández-González , Miguel Ruiz-Veguilla

PII: S0165-1781(17)31334-3
DOI: <https://doi.org/10.1016/j.psychres.2018.08.036>
Reference: PSY 11630



To appear in: *Psychiatry Research*

Received date: 19 July 2017
Revised date: 23 June 2018
Accepted date: 13 August 2018

Please cite this article as: Álvaro López-Díaz , Pablo Lorenzo-Herrero , Ignacio Lara , José Luis Fernández-González , Miguel Ruiz-Veguilla , Acute stress and substance use as predictors of suicidal behaviour in acute and transient psychotic disorders, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.036>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- There is a lack of research on suicide in patients with ATPD.
- The study investigates whether there are predictors of suicidal behaviour in ATPD.
- Acute stress and substance use are significantly associated with suicidal behaviour.
- Screening both factors would aid assessment of suicide risk in ATPD patients.

Download English Version:

<https://daneshyari.com/en/article/10132340>

Download Persian Version:

<https://daneshyari.com/article/10132340>

[Daneshyari.com](https://daneshyari.com)