

Accepted Manuscript

Reduced scanning of salient facial features mediates the association between paranoia and emotion recognition

Tobias E. Hillmann , Marcel Riehle , Tania M. Lincoln

PII: S0165-1781(18)30047-7
DOI: <https://doi.org/10.1016/j.psychres.2018.08.052>
Reference: PSY 11646



To appear in: *Psychiatry Research*

Received date: 9 January 2018
Revised date: 10 August 2018
Accepted date: 13 August 2018

Please cite this article as: Tobias E. Hillmann , Marcel Riehle , Tania M. Lincoln , Reduced scanning of salient facial features mediates the association between paranoia and emotion recognition, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.052>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We tested for reduced visual attention to salient facial features in schizophrenia
- Visual attention did not differ between schizophrenia and healthy controls
- Visual attention mediated between paranoia and correct emotion recognition
- The study supports a vigilance-avoidance hypothesis of paranoia

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10132364>

Download Persian Version:

<https://daneshyari.com/article/10132364>

[Daneshyari.com](https://daneshyari.com)