

Accepted Manuscript

The Intensity of Suicidal Ideation at the Worst Point and its association with Suicide Attempts

Keyne C. Law , Hyejin M. Jin , Michael D. Anestis

PII: S0165-1781(17)32261-8
DOI: <https://doi.org/10.1016/j.psychres.2018.08.094>
Reference: PSY 11688



To appear in: *Psychiatry Research*

Received date: 8 December 2017
Revised date: 5 July 2018
Accepted date: 24 August 2018

Please cite this article as: Keyne C. Law , Hyejin M. Jin , Michael D. Anestis , The Intensity of Suicidal Ideation at the Worst Point and its association with Suicide Attempts, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.08.094>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The intensity of suicidal ideation at the worst point differentiated individuals who have only thought about suicide from those who have attempted.
- There is a greater likelihood of a history of suicide attempts when individuals have endorsed high intensity at the worst point of their suicidal ideation.
- Painful and provocative events partially accounted for the aforementioned relationship while a heightened capability for suicide.

Download English Version:

<https://daneshyari.com/en/article/10132420>

Download Persian Version:

<https://daneshyari.com/article/10132420>

[Daneshyari.com](https://daneshyari.com)