Hesperetin, a citrus flavonoid, attenuates testicular damage in diabetic rats via inhibition of oxidative stress, inflammation, and apoptosis

Alireza Samie, Reza Sedaghat, Tourandokht Baluchnejadmojarad, Mehrdad Roghani

PII: S0024-3205(18)30536-8
DOI: doi:10.1016/j.lfs.2018.08.074
Reference: LFS 15921

To appear in: *Life Sciences*

Received date: 26 March 2018
Revised date: 15 August 2018
Accepted date: 31 August 2018

Please cite this article as: Alireza Samie, Reza Sedaghat, Tourandokht Baluchnejadmojarad, Mehrdad Roghani , Hesperetin, a citrus flavonoid, attenuates testicular damage in diabetic rats via inhibition of oxidative stress, inflammation, and apoptosis. Lfs (2018), doi:10.1016/j.lfs.2018.08.074

Hesperetin, a citrus flavonoid, attenuates testicular damage in diabetic rats via inhibition of oxidative stress, inflammation, and apoptosis

Alireza Samie [a], Reza Sedaghat [b], Tourandokht Baluchnejadmojarad [c], Mehrdad Roghani [d,*]

[a] School of Medicine, Shahed University, Tehran, Iran.

[b] Department of Anatomy and Pathology, School of Medicine, Shahed University, Tehran, Iran.

[c] Department of Physiology, School of Medicine, Iran University of Medical Sciences, Tehran, Iran

[d] Neurophysiology Research Center, Department of Physiology, Shahed University, Tehran, Iran.

*** To whom correspondence should be addressed:**

Dr. Mehrdad Roghani

Neurophysiology Research Center and Department of Physiology, Shahed University, Tehran, Iran.

Tel: +98-21-51212637, Fax: +98-21-51212602

e-mail: mehjour@yahoo.com, mroghani@shahed.ac.ir