

Accepted Manuscript

Title: Non-syndromic tooth agenesis patterns and their association with other dental anomalies: A retrospective study

Authors: Bianca Nbia Souza-Silva, Walbert de Andrade Vieira, Ítalo de Macedo Bernardino, Marlia Jesus Batista, Marcos Alan Vieira Bittencourt, Luiz Renato Paranhos



PII: S0003-9969(18)30292-9
DOI: <https://doi.org/10.1016/j.archoralbio.2018.08.014>
Reference: AOB 4236

To appear in: *Archives of Oral Biology*

Received date: 22-6-2018
Revised date: 2-8-2018
Accepted date: 23-8-2018

Please cite this article as: Souza-Silva BN, de Andrade Vieira W, de Macedo Bernardino Í, Batista MJ, Vieira Bittencourt MA, Paranhos LR, Non-syndromic tooth agenesis patterns and their association with other dental anomalies: A retrospective study, *Archives of Oral Biology* (2018), <https://doi.org/10.1016/j.archoralbio.2018.08.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Non-syndromic tooth agenesis patterns and their association with other dental anomalies: A retrospective study

Running title: Agenesis and other dental anomalies

Bianca Núbia Souza-Silva^a, Walbert de Andrade Vieira^b, Ítalo de Macedo Bernardino^c, Marília Jesus Batista^d, Marcos Alan Vieira Bittencourt^e, Luiz Renato Paranhos^f

^a Undergraduate Dental Student, Department of Dentistry, Federal University of Sergipe, Lagarto, Sergipe, Brazil. E-mail: bianubia93@gmail.com

^b Undergraduate Dental Student, Department of Dentistry, Federal University of Sergipe, Aracaju, Sergipe, Brazil. E-mail: walbert.vieira18@gmail.com

^c MSc Student, Postgraduate Program in Dentistry, Department of Dentistry, State University of Paraíba, Campina Grande, Paraíba, Brazil. E-mail: italo.macedo50@gmail.com

^d DDS, MSc, PhD, Professor, Department of Public Health, Jundiaí Medical School, Jundiaí, São Paulo, Brazil. E-mail: mariliajbatista@gmail.com

^e DDS, MSc, PhD, Associate Professor, School of Dentistry, Federal University of Bahia, Salvador, Bahia, Brazil. E-mail: alan_orto@yahoo.com.br

^f DDS, MSc, PhD, Adjunct Professor, Department of Preventive and Community Dentistry, School of Dentistry, Federal University of Uberlândia, Uberlândia, Minas Gerais, Brazil. E-mail: paranhos.lrp@gmail.com

Corresponding author:

Prof. Marcos Alan Vieira Bittencourt

Faculdade de Odontologia da Universidade Federal da Bahia

Av. Araújo Pinho, 62, 7^o andar, Canela, Salvador, Bahia, Brasil. CEP: 40110-040.

Telephone: +55 71 99978-0595

Fax: +55 71 3235-9940

E-mail: alan_orto@yahoo.com.br

Highlights

- The upper lateral incisors were the most frequent congenitally missing teeth.
- The prevalence rate of tooth agenesis is strongly higher in women.
- There are association patterns among tooth agenesis and other dental anomalies.
- Tooth agenesis may be expressed in different phenotypic patterns.

Download English Version:

<https://daneshyari.com/en/article/10137993>

Download Persian Version:

<https://daneshyari.com/article/10137993>

[Daneshyari.com](https://daneshyari.com)