Accepted Manuscript

Title: Generalized seizures evoked by nucleus accumbens stimulation induced an opiate-mediated suppression of psychosis relevant behaviors

Authors: L. Stan Leung, Jingyi Ma



PII:	S0166-4328(18)30458-3
DOI:	https://doi.org/10.1016/j.bbr.2018.09.007
Reference:	BBR 11568
To appear in:	Behavioural Brain Research

 Received date:
 25-3-2018

 Revised date:
 2-9-2018

 Accepted date:
 11-9-2018

Please cite this article as: Leung LS, Ma J, Generalized seizures evoked by nucleus accumbens stimulation induced an opiate-mediated suppression of psychosis relevant behaviors, *Behavioural Brain Research* (2018), https://doi.org/10.1016/j.bbr.2018.09.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Generalized seizures evoked by nucleus accumbens stimulation induced an opiate-mediated suppression of psychosis relevant behaviors

L. Stan Leung^{1,2*} and Jingyi Ma¹

Department of Physiology and Pharmacology¹ and Graduate Program of Neuroscience², The University of Western Ontario, London, Canada N6A 5C1

Key words: Convulsive seizures, Nucleus accumbens, Gating of hippocampal auditory evoked potentials, Prepulse inhibition, Kindling, Naloxone

Abstract 200 words

Total: 3568 words (all except title and abstract)

*For correspondence and proofs, please write to Dr. L. Stan Leung Department of Physiology and Pharmacology Medical Sciences Building The University of Western Ontario London, Ontario, Canada N6A 5C1 Phone (519) 850 2400 FAX (519) 661 3827 EMAIL: sleung@uwo.ca

Abstract

We have previously demonstrated that kindling of the nucleus accumbens (NAc) induced psychosis relevant behaviors only after one, but not after five, stage-5 seizures, suggesting that five stage-5 NAc-evoked seizures antagonized psychosis relevant behaviors in rats. We Download English Version:

https://daneshyari.com/en/article/10138328

Download Persian Version:

https://daneshyari.com/article/10138328

Daneshyari.com