

Accepted Manuscript

What can knowledge of the energy landscape tell us about animal movement trajectories and space use? A case study with humans.

Emmanouil Lempidakis , Rory P. Wilson , Adrian Luckman ,
Richard S. Metcalfe

PII: S0022-5193(18)30403-X
DOI: <https://doi.org/10.1016/j.jtbi.2018.08.024>
Reference: YJTBI 9589



To appear in: *Journal of Theoretical Biology*

Received date: 16 February 2018
Revised date: 13 August 2018
Accepted date: 17 August 2018

Please cite this article as: Emmanouil Lempidakis , Rory P. Wilson , Adrian Luckman , Richard S. Metcalfe , What can knowledge of the energy landscape tell us about animal movement trajectories and space use? A case study with humans., *Journal of Theoretical Biology* (2018), doi: <https://doi.org/10.1016/j.jtbi.2018.08.024>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Modelled least-cost paths can be highly tortuous, mirroring some animal tracks.
- Least-cost paths are scale-independent.
- Least-cost paths are a vital starting point for animal trajectory analysis.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10138671>

Download Persian Version:

<https://daneshyari.com/article/10138671>

[Daneshyari.com](https://daneshyari.com)