

Accepted Manuscript

Title: Electroless silver plated flexible graphite felt prepared by dopamine functionalization and applied for electromagnetic interference shielding

Authors: Yun Mao, Shengqi Zhang, Wei Wang, Dan Yu



PII: S0927-7757(18)30742-8
DOI: <https://doi.org/10.1016/j.colsurfa.2018.09.028>
Reference: COLSUA 22828

To appear in: *Colloids and Surfaces A: Physicochem. Eng. Aspects*

Received date: 17-8-2018
Revised date: 5-9-2018
Accepted date: 11-9-2018

Please cite this article as: Mao Y, Zhang S, Wang W, Yu D, Electroless silver plated flexible graphite felt prepared by dopamine functionalization and applied for electromagnetic interference shielding, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* (2018), <https://doi.org/10.1016/j.colsurfa.2018.09.028>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Electroless silver plated flexible graphite felt prepared by dopamine functionalization and applied for electromagnetic interference shielding

Yun Mao^{a,b}, Shengqi Zhang^{a,b}, Wei Wang^{a,b}, Dan Yu^{a,b,c,*},

^a College of Chemistry, Chemical Engineering & Biotechnology, Donghua University, Shanghai, 201620, China


^b Key Laboratory of High Performance Fibers & Products, Ministry of Education, Donghua University, Shanghai, P. R. China 201620

^c Saintyear Holding Group Co., Ltd., China

*Corresponding author: Dan Yu, 2999 north Renmin road, Songjiang district, Shanghai 201620, China.

Tel: 86-21-67792456 Fax: 86-21-67792608 E-mail address: yudan@dhu.edu.cn.

Graphical Abstract



Highlights

- 1. The silver-coated graphite felt composite was prepared.
- 2. The flexible materials exhibit good excellent conductivity.
- 3. The materials possess outstanding EMI SE effectiveness.

ABSTRACT

Download English Version:

<https://daneshyari.com/en/article/10139805>

Download Persian Version:

<https://daneshyari.com/article/10139805>

[Daneshyari.com](https://daneshyari.com)