Accepted Manuscript

Topological reorganization of EEG functional network is associated with the severity and cognitive impairment in Alzheimer's disease

Jiangkuan Chen, Cong Liu, Chung-Kang Peng, Jong-Ling Fuh, Fengzhen Hou, Albert C. Yang



To appear in: *Physica A*

Received date : 5 May 2018 Revised date : 27 July 2018



Please cite this article as: J. Chen, et al., Topological reorganization of EEG functional network is associated with the severity and cognitive impairment in Alzheimer's disease, *Physica A* (2018), https://doi.org/10.1016/j.physa.2018.09.043

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

1. Topological reorganization of EEG functional network in AD patients is observed.

2. AD significantly affects the nodal CC of the frontal and central-parietal regions.

3. The alteration in EEG network might represent a marker of cognitive decline in AD.

Download English Version:

https://daneshyari.com/en/article/10140556

Download Persian Version:

https://daneshyari.com/article/10140556

Daneshyari.com