


# Accepted Manuscript

Preliminary analysis of the effect of Stevia (*Stevia rebaudiana*) in patients with chronic kidney disease (stage I to stage III)

Farhana Rizwan, Harun Ur Rashid, Saquiba Yesmine, Forhad Monjur, Tapan Kumar Chatterjee



PII: S2451-8654(18)30074-7

DOI: [10.1016/j.conctc.2018.08.007](https://doi.org/10.1016/j.conctc.2018.08.007)

Reference: CONCTC 281

To appear in: *Contemporary Clinical Trials Communications*

Received Date: 4 June 2018

Revised Date: 24 July 2018

Accepted Date: 20 August 2018

Please cite this article as: F. Rizwan, H.U. Rashid, S. Yesmine, F. Monjur, T.K. Chatterjee, Preliminary analysis of the effect of Stevia (*Stevia rebaudiana*) in patients with chronic kidney disease (stage I to stage III), *Contemporary Clinical Trials Communications* (2018), doi: 10.1016/j.conctc.2018.08.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Preliminary Analysis of the effect of Stevia (*Stevia rebaudiana*) in patients with Chronic Kidney Disease (Stage I to Stage III).

Farhana Rizwan <sup>a, b</sup>, Harun Ur Rashid <sup>c</sup>, Saquiba Yesmine <sup>d</sup>, Forhad Monjur <sup>e</sup>, Tapan Kumar Chatterjee <sup>a, f, \*</sup>

<sup>a</sup> Department of Pharmaceutical Technology, Jadavpur University, Kolkata-700032, India;  
E-mail: [farhanarizwan12@gmail.com](mailto:farhanarizwan12@gmail.com); [frizwan18@yahoo.com](mailto:frizwan18@yahoo.com).

<sup>b</sup> Department of Pharmacy, East West University, Aftabnagar, Dhaka-1212, Bangladesh;  
E-mail: [frezwan@ewubd.edu](mailto:frezwan@ewubd.edu); [frizwan18@yahoo.com](mailto:frizwan18@yahoo.com).

<sup>c</sup> Kidney Foundation Hospital and Research Institute; Mirpur-2, Dhaka-1216, Bangladesh;  
E-mail: [rashid@bol-online.com](mailto:rashid@bol-online.com).

<sup>d</sup> Department of Pharmacy, Jahangirnagar University, Savar, Bangladesh;  
E-mail: [s.yesmine@juniv.edu](mailto:s.yesmine@juniv.edu).

<sup>e</sup> Department of Clinical Pathology, Institute of Child Health and Shishu Sasthya Foundation Hospital, Mirpur-2, Dhaka-1216, Bangladesh;  
E-mail: [forhadmonjur@gmail.com](mailto:forhadmonjur@gmail.com); [monjur\\_forhad@yahoo.com](mailto:monjur_forhad@yahoo.com).

<sup>f</sup> Department of Pharmaceutical Science and Technology, JIS University, Kolkata-32, West Bengal, India; E-mail: [crctkc@gmail.com](mailto:crctkc@gmail.com); [tkchatterjj\\_81@rediffmail.com](mailto:tkchatterjj_81@rediffmail.com).

### \*Corresponding Author:

#### **Prof. (Dr.) T K Chatterjee**

Dean, Dept. of Pharmaceutical Science and Technology,

JIS University, Kolkata, India

Former Professor, Division of Pharmacology, Jadavpur University, Kolkata-32, India

Former Director, Clinical Research Centre (CRC), Jadavpur University, Kolkata-32, India

Phone: 00919836066927

E-mail: [crctkc@gmail.com](mailto:crctkc@gmail.com); [tkchatterjj\\_81@rediffmail.com](mailto:tkchatterjj_81@rediffmail.com).

**Running Head:** Effect of Stevia in patients with CKD Stage I-III.

Download English Version:

<https://daneshyari.com/en/article/10143266>

Download Persian Version:

<https://daneshyari.com/article/10143266>

[Daneshyari.com](https://daneshyari.com)