

Author's Accepted Manuscript

Naoxintong restores collateral blood flow in a murine model of hindlimb ischemia through PPAR δ -dependent mechanism

Lu Chen, Lusha Zhang, Zhirui Fang, Chunxiao Li, Yue Yang, Xingyu You, Min Song, Joel Coffie, Liyuan Zhang, Xiumei Gao, Hong Wang



PII: S0378-8741(18)30310-6
DOI: <https://doi.org/10.1016/j.jep.2018.08.032>
Reference: JEP11490

To appear in: *Journal of Ethnopharmacology*

Received date: 27 January 2018
Revised date: 4 July 2018
Accepted date: 26 August 2018

Cite this article as: Lu Chen, Lusha Zhang, Zhirui Fang, Chunxiao Li, Yue Yang, Xingyu You, Min Song, Joel Coffie, Liyuan Zhang, Xiumei Gao and Hong Wang, Naoxintong restores collateral blood flow in a murine model of hindlimb ischemia through PPAR δ -dependent mechanism, *Journal of Ethnopharmacology*, <https://doi.org/10.1016/j.jep.2018.08.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Naoxintong restores collateral blood flow in a murine model of hindlimb
ischemia through PPAR δ -dependent mechanism**

Lu Chen^{a,b,c,e,1}, Lusha Zhang^{a,b,1}, Zhirui Fang^{a,b}, Chunxiao Li^{a,b}, Yue Yang^a, Xingyu You^b, Min Song^c, Joel Coffie^{a,b}, Liyuan Zhang^{a,b}, Xiumei Gao^{a,b,c}, Hong Wang^{a,b,d,*}

^aTianjin State Key Laboratory of Modern Chinese Medicine, Tianjin 300193, China

^bKey Laboratory of Pharmacology of Traditional Chinese Medical Formulae, Ministry of Education, Tianjin University of Traditional Chinese Medicine, Tianjin 300193, China

^cTianjin Key Laboratory of Chinese medicine Pharmacology, Tianjin University of Traditional Chinese Medicine, Tianjin 300193, China

^dSchool of Integrative Medicine, Tianjin University of Traditional Chinese Medicine, Tianjin 300193, China

^eInstitute of Traditional Chinese Medicine, Tianjin University of Traditional Chinese Medicine, Tianjin 300193, China

wanghongsys@tjutcm.edu.cn,

wanghongsys@126.com

*Correspondence to: School of Integrative Medicine, Tianjin University of Traditional Chinese Medicine, # 312 Anshanxi Road, Nankai District, Tianjin, 300193, China. Tel.: +86 22 59596171; Fax: +86 22 59596168

ABSTRACT

Ethnopharmacological relevance:

Naoxintong (NXT) is a compound preparation that is widely used in patients with cardiovascular and cerebrovascular diseases.

Aim of study:

The aim of this study is to investigate the protective mechanism of NXT on the mice model of peripheral vascular disease (PAD).

Materials and methods:

In the study, hindlimb ischemia was induced by ligation of femoral artery on the right

¹ These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/10143317>

Download Persian Version:

<https://daneshyari.com/article/10143317>

[Daneshyari.com](https://daneshyari.com)