

# Accepted Manuscript

Brood size is reduced by half in birds feeding on flutriafol-treated seeds below the recommended application rate

Ana Lopez-Antia, Manuel E. Ortiz-Santaliestra, François Mougeot, Pablo R. Camarero, Rafael Mateo



PII: S0269-7491(18)32355-8

DOI: [10.1016/j.envpol.2018.08.078](https://doi.org/10.1016/j.envpol.2018.08.078)

Reference: ENPO 11516

To appear in: *Environmental Pollution*


Received Date: 25 May 2018

Revised Date: 3 August 2018

Accepted Date: 23 August 2018

Please cite this article as: Lopez-Antia, A., Ortiz-Santaliestra, M.E., Mougeot, Franç., Camarero, P.R., Mateo, R., Brood size is reduced by half in birds feeding on flutriafol-treated seeds below the recommended application rate, *Environmental Pollution* (2018), doi: 10.1016/j.envpol.2018.08.078.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MA

Download English Version:

<https://daneshyari.com/en/article/10144675>

Download Persian Version:

<https://daneshyari.com/article/10144675>

[Daneshyari.com](https://daneshyari.com)