

## Accepted Manuscript

Title: Highly sensitive fluorescent sensor based on electrosynthesized poly(Fmoc-L-serine) enables ultra-trace analysis of  $\text{Cr}_2\text{O}_7^{2-}$  in water and agro-product samples

Authors: Lie Zou, Yangping Wen, Hui Zhang, Jingdang Chai, Xuemin Duan, Liang Shen, Ge Zhang, Jingkun Xu



PII: S0925-4005(18)31659-9  
DOI: <https://doi.org/10.1016/j.snb.2018.09.046>  
Reference: SNB 25352

To appear in: *Sensors and Actuators B*

Received date: 28-4-2018  
Revised date: 10-9-2018  
Accepted date: 10-9-2018

Please cite this article as: Zou L, Wen Y, Zhang H, Chai J, Duan X, Shen L, Zhang G, Xu J, Highly sensitive fluorescent sensor based on electrosynthesized poly(Fmoc-L-serine) enables ultra-trace analysis of  $\text{Cr}_2\text{O}_7^{2-}$  in water and agro-product samples, *Sensors and Actuators: B. Chemical* (2018), <https://doi.org/10.1016/j.snb.2018.09.046>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highly sensitive fluorescent sensor based on electrosynthesized poly(Fmoc-L-serine) enables ultra-trace analysis of  $\text{Cr}_2\text{O}_7^{2-}$  in water and agro-product samples**

Lie Zou<sup>‡,a</sup>, Yangping Wen<sup>‡,b</sup>, Hui Zhang<sup>‡,c</sup>, Jingdang Chai<sup>a</sup>, Xuemin Duan<sup>a</sup>, Liang Shen<sup>d</sup>, Ge Zhang<sup>\*,d</sup>, and Jingkun Xu<sup>\*,d,e</sup>

<sup>a</sup>School of Pharmacy, Jiangxi Science & Technology Normal University, Nanchang 330013, P. R. China

<sup>b</sup>Key Laboratory of Crop Physiology, Ecology and Genetic Breeding, Ministry of Education, Jiangxi Agricultural University, Nanchang 330045, P. R. China

<sup>c</sup>National Laboratory of Solid State Microstructures, College of Engineering and Applied Sciences and Collaborative Innovation Center of Advanced Microstructures, Nanjing University, Nanjing 210093, P. R. China

<sup>d</sup>School of Chemistry & Chemical Engineering, Jiangxi Science & Technology Normal University, Nanchang 330013, P. R. China

<sup>e</sup>College of Chemistry and Molecular Engineering, Qingdao University of Science & Technology, Qingdao 266042, P. R. China

\*Corresponding author. Tel.: +86 791 88537967; fax: +86 791 83823320.

E-mail address: [xujingkun@tsinghua.org.cn](mailto:xujingkun@tsinghua.org.cn), [xujingkun1971@yeah.net](mailto:xujingkun1971@yeah.net) (J. Xu).  
[zhangge20082006@126.com](mailto:zhangge20082006@126.com) (G. Zhang)

<sup>‡</sup>These authors contributed equally to this work.

**Graphical abstract**

Download English Version:

<https://daneshyari.com/en/article/10146635>

Download Persian Version:

<https://daneshyari.com/article/10146635>

[Daneshyari.com](https://daneshyari.com)