Accepted Manuscript

Viscoelastic Foam-Filled Lattice for High Energy Absorption

B.J. Ramirez, U. Misra, V. Gupta

PII: S0167-6636(17)30829-3

DOI: https://doi.org/10.1016/j.mechmat.2018.08.011

Reference: MECMAT 2919

To appear in: Mechanics of Materials

Received date: 2 December 2017 Revised date: 23 July 2018 Accepted date: 23 August 2018



Please cite this article Viscoelastic Foamas: B.J. Ramirez, U. Misra, V. Gupta , Filled Lattice for High Energy Absorption, Mechanics of Materials (2018),https://doi.org/10.1016/j.mechmat.2018.08.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- Composite foam concept that involves infiltrating a polymer foam through a lattice was introduced.
- Composite foam allows several energy absorbing mechanisms to operate synergistically and sequentially at varying length scales.
- Displays high strain rate sensitivity and recoverable compressibility of up to 80% strain.
- Exhibits high energy absorption at both low (0°C) and high temperatures (40°C) .

Download English Version:

https://daneshyari.com/en/article/10146776

Download Persian Version:

https://daneshyari.com/article/10146776

<u>Daneshyari.com</u>