


Accepted Manuscript

Extended Interval Type-II and Kernel Based Sparse Representation
Method for Face Recognition

Sudesh Yadav , Virendra P. Vishwakarma

PII: S0957-4174(18)30609-2
DOI: <https://doi.org/10.1016/j.eswa.2018.09.032>
Reference: ESWA 12220



To appear in: *Expert Systems With Applications*

Received date: 26 September 2017
Revised date: 12 September 2018
Accepted date: 13 September 2018

Please cite this article as: Sudesh Yadav , Virendra P. Vishwakarma , Extended Interval Type-II and Kernel Based Sparse Representation Method for Face Recognition, *Expert Systems With Applications* (2018), doi: <https://doi.org/10.1016/j.eswa.2018.09.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Unseen information is extracted using extended interval type 2 membership function
- It also works where other Gaussian based membership functions are not applicable.
- Computational efficient: using sparsity concept which makes FR systems fast.
- It deals with uncertainty originating from non-linear variations in the features.
- It gives better results as compared to other state-of-art methods.

Download English Version:

<https://daneshyari.com/en/article/10148894>

Download Persian Version:

<https://daneshyari.com/article/10148894>

[Daneshyari.com](https://daneshyari.com)