


Accepted Manuscript

The effects of flood history on sediment transport in gravel-bed rivers

Luca Mao

PII: S0169-555X(18)30354-4
DOI: doi:[10.1016/j.geomorph.2018.08.046](https://doi.org/10.1016/j.geomorph.2018.08.046)
Reference: GEOMOR 6509
To appear in: *Geomorphology*
Received date: 20 March 2018
Revised date: 31 August 2018
Accepted date: 31 August 2018



Please cite this article as: Luca Mao , The effects of flood history on sediment transport in gravel-bed rivers. Geomor (2018), doi:[10.1016/j.geomorph.2018.08.046](https://doi.org/10.1016/j.geomorph.2018.08.046)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The effects of flood history on sediment transport in gravel-bed rivers

Luca Mao^{1,2}

¹ Department of Ecosystems and Environment, Pontificia Universidad Católica de Chile, Santiago, Chile

² School of Geography, University of Lincoln, Lincoln, UK

Abstract

The transport of coarse sediment during floods often exhibits hysteresis patterns from changes in flow fields, channel geometry, bedforms, or sediment supply conditions. Flume experiments that simulate hydrographs tend to confirm that hysteresis is a consequence of the progressive organization of surface sediments in terms of grain protrusion, imbrication, orientation, and roughness. Hysteretic patterns are also highly dependent on the kind of sediment supply conditions, and the type of simulated hydrograph. A factor that has not been investigated extensively is the effect of the timing and sequencing of floods on bedload transport. Depending on its magnitude and duration, each flood leaves the channel bed in a different condition, which influences the bedload transport of the next event, representing the river bed's memory of past floods, which can determine future responses to natural disturbances. In this study, I investigated the effects of different sequences of events, i.e., the flood history, on sediment transport through a series of flume experiments that simulated three types of stepped and symmetrical hydrographs (ranging from short-duration/high-magnitude to long-duration/low-magnitude events) under sediment recirculation conditions. Hydrographs were simulated as a sequence of the same event, and with events in different sequences, in order to explore the effects of different antecedent

Download English Version:

<https://daneshyari.com/en/article/10149861>

Download Persian Version:

<https://daneshyari.com/article/10149861>

[Daneshyari.com](https://daneshyari.com)