Accepted Manuscript

Title: Electromagnetic Actuation Dual-Chamber Bidirectional

Flow Micropump

Authors: MQA Rusli, Pei Song Chee, Rashidah Arsat, Khai

Xin Lau, Pei Ling Leow


PII: S0924-4247(18)30153-5

DOI: https://doi.org/10.1016/j.sna.2018.08.047

Reference: SNA 10971

To appear in: Sensors and Actuators A

Received date: 28-1-2018 Revised date: 15-8-2018 Accepted date: 26-8-2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Electromagnetic Actuation Dual-Chamber Bidirectional Flow Micropump

MQA Rusli ¹ , Pei Song Chee ² , Rashidah Arsat ¹ , Khai Xin Lau ¹ , Pei Ling Leow ^{1*}
¹ School of Electrical Engineering, Faculty of Engineering, Universiti Teknologi Malaysia, 81310 Skudai, Johon
Malaysia;
² Lee Kong Chian, Faculty of Engineering and Science, Universiti Tunku Abdul Rahman, 43000, Kajang
Selangor;
*Correspondence author: leowpl@utm.my; Tel.: +607-555-7170; Fax: +607-556-6272.

Highlights

- Dual-chamber microchannel chip;
- Bidirectional flow micropump;
- Electromagnetic driven actuator;
- Rapid prototyping.

Download English Version:

https://daneshyari.com/en/article/10152233

Download Persian Version:

https://daneshyari.com/article/10152233

<u>Daneshyari.com</u>