

Accepted Manuscript

Title: Comparison of cation-exchange capillary columns used for ion chromatographic separation of biogenic amines

Authors: Yan Li, Pavel N. Nesterenko, Roger Stanley, Brett Paull, Mirek Macka



PII: S0021-9673(18)31023-9
DOI: <https://doi.org/10.1016/j.chroma.2018.08.021>
Reference: CHROMA 359617

To appear in: *Journal of Chromatography A*

Received date: 3-6-2018
Revised date: 31-7-2018
Accepted date: 9-8-2018

Please cite this article as: Li Y, Nesterenko PN, Stanley R, Paull B, Macka M, Comparison of cation-exchange capillary columns used for ion chromatographic separation of biogenic amines, *Journal of Chromatography A* (2018), <https://doi.org/10.1016/j.chroma.2018.08.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparison of cation-exchange capillary columns used for ion chromatographic separation of biogenic amines

Yan Li¹, Pavel N. Nesterenko^{1, 3}, Roger Stanley², Brett Paull^{1, 3}, Mirek Macka^{1,4,5*}

- 1) School of Natural Sciences and Australian Centre for Research on Separation Science (ACROSS), University of Tasmania, Hobart 7001, Australia
- 2) Centre for Food Innovation, University of Tasmania, Locked Bag 1370, Launceston 7250, Australia
- 3) ARC Training Centre for Portable Analytical Separation Technologies (ASTech), University of Tasmania, Private Bag 75, Hobart 7001, Australia
- 4) Department of Chemistry and Biochemistry, Mendel University in Brno, Zemedelska 1, CZ-613 00 Brno, Czech Republic
- 5) Central European Institute of Technology, Brno University of Technology, Purkynova 123, CZ-612 00 Brno, Czech Republic Czech Republic

*Corresponding author

Professor Mirek Macka, Private Bag 75, School of Physical Sciences and Australian Centre for Research on Separation Science, University of Tasmania, Hobart 7001, Australia

E-mail: Mirek.Macka@utas.edu.au

Phone: +61 362266670; Fax: +61 362262858

Comparison of cation-exchange capillary columns used for ion chromatographic separation of biogenic amines

Yan Li, Pavel N. Nesterenko, Roger Stanley, Brett Paull, Mirek Macka

Highlights

- Mixed mode effects greatly influenced cation-exchange separations
- Stronger retention on phosphonic groups as compared to carboxylic groups
- Analytes clustered according to presence of carboxylic acid group
- Study allows choice of conditions for the separation of complex mixture of analytes

Download English Version:

<https://daneshyari.com/en/article/10154472>

Download Persian Version:

<https://daneshyari.com/article/10154472>

[Daneshyari.com](https://daneshyari.com)